


anytime
anyplace
anyspace

anyspace

R E C I P E B O O K



Pairings.

“An arrangement or match resulting from organizing or forming people or things into pairs.”

Food typically comes to mind when we start thinking of pairings. It's only natural. Two (or more) items, each with their own individual characteristics, are enjoyed together to create something new and hopefully, delicious and memorable.

Wine and cheese. Spaghetti and meatballs. Carbonnades flamande and pommes frites, macaroni and cheese. Peanut butter and jelly. These are all examples of some classic combinations. Each component is interesting on its own, but when combined with another, the result becomes something that is greater than the sum of its parts. *Amazing.*

Even more amazing are the possibilities that exist beyond the “classic” combinations for those who are fearless. Yes, peanut butter works with jams and jellies. But it also works with other spreads like nutella and biscoff. Add bananas? Sure. What about potato chips or sliced apples? Celery? Cream cheese? Are you thinking about it? Good. Hang on to that thought.

Now let's shift into a different gear...

Our anyspace collection is a compilation of fantastic furniture pieces. Each item has its own unique characteristics (style, tone, etc.). They “work” when you use them in your own applications. But, when you pair or combine pieces of this line to create your own solutions...oooh la, la! You can create fabulous, functional furniture masterpieces!


Imagine our downtown table is your peanut butter...will you go crunchy (café) or smooth (standard height)? Will you pair with our slide stools (jelly), Bella stools (jam), Platform stools (nutella) or go with Toadstools (biscoff)? each offers a different “flavor”.

Why limit yourself to tables and chairs? Experiment with every flavorful furniture aspect of your environment. Our anyspace collection has a lot of tasty possibilities to choose from...seating, surfaces, storage, mobile, free-standing, power access, wall-mount, nesting...it's all here. Let's get cooking.

“ANYONE CAN COOK, BUT ONLY THE FEARLESS CAN BE GREAT”

-AUGUSTE GUSTEAU

(OK, he was a cartoon chef, but there is truth in those words).



Ingredients

ANYSpace IDEAS

Commons	4
Café.....	6
Makerspace	8
Classroom	10

SEATING Ottomans

Full Time	14
Full Time Jr.	17
Duo Connector	18
Duo Ottomans	19

Benches

Half Time	20
Bookmark	21
Rocky	21
Groot	21
Gizmo	21

Chairs & Stools

Chair Shell Finish options	22
Slide	24
Romak	25
Bella	25
Platform	26
RoJon	27
Toadstool	29
Push-Pops	29
Carlo	31
Blox	32
FRED & FredEx	32
Shroom	33

Lounge Seating

Engage	34
Engage Jr.	36
Wink	37
Ad Lib	39
Gemini.....	40
Full Time Halfback.....	40

Booth & Interactive Seating

Shirley	41
Duo Lounge	42
Duo Café Counter	43
Pocket Lounge	44
Pocket Café Counter	45
Deuce Lounge	46
Deuce Café Counter	47

PRIVACY

Media Carrels.....	50
Cabana	51
Cheesewall.....	51

TABLES Coffee, Connector & Occasional

Duo Coffee tables	54
Time table	54
Duo Connector Table	55
Classica	56
Saeth	56
Metro	56
Vector	57
Orbit	57
Derby	57

TABLES

Alba.....	58
Alba FIN	59
Porter Table	60
Technix	60
Pedique	61
Orbit	62
Derby	64
Stance	67
Nimble.....	68
Rally	69
Milestone	70
Eclipse	72
OTZ	73
Rockford.....	74
Rockford Pick	77
Vector	78
GTX Community	79
GTX.....	79
Steel Science tables	80
Wood Science tables	80
Malibu	81

Workstations

WORK+BOX Island	83
WORK+BOX Plank	84
WORK+BOX Dock	85
Stellar	86
Edison.....	87
Cirrus	88
Cirrus Computer	88
Curved Cirrus.....	89
WCT	90

Workstations cont'd

Matrix	91
Z-table	92
Crayon	93
Indy	94
Kirby	94
Downtown	95
Grootable	96
elements Counter	97
Table Accessories & Options ...	98

DESKS

GTX DESK	102
Timmy	102
Jack	103
Porter Desk	103
Anchor	104
Jane	104
Scholar	105
Wingman	105
Interact	106
Nomad	107
Domino	108
Milan	108
Desk Accessories	109

TECH CARTS & LECTERNS

Stowaway	112
Concierge	113
Samson	113
Jacqui	114
Richard	114
Elector.....	114
Hannibal	115

STORAGE

eWall	118
Rubix Mobile Storage	120
Drift	125
Drift Mobile Storage	126
Drift Mobile Bookcases.....	127
Benchmark Bookcases	128

Trash Receptacle Enclosure

Oscar	130
-------------	-----



Above: Cirrus curved with **Full Time** ottomans hugged inside and **Toadstools** along the outside.



Above Left: Duo Café with **Duo Coffee** tables and **Toadstools**. **Above Right:** **Downtown** tables (shown with power option) and **Bella** stools.



Commons

A learning commons is a space designed to bring students together in a safe, inclusive and welcoming environment to learn, share and integrate their experiences.

Comfortable furniture for both individual and group work is *de rigueur* for today's commons space. Users may need to be able to arrange and "customize" their space to meet their unique requirements.

Consider worksurfaces with integrated connectivity and comfortable casual seating as a possible starting point. We can help you create a welcoming and functional commons space, whatever your requirements may dictate.



Above Left: Full Time curved ottoman with Full Time round ottman. **Above Right:** Clusters of assorted BLOX and Full Time curved ottoman with Duo Connector table.



Above: Peadique tables with Platform stools along windows, with Orbit tables and Platform chairs in the center. elements casegoods make up the kitchenette while Oscar is tucked in the corner.



Above Left: Slide chairs with Milestone tables (left) and clusters of Toadstools and Milestone tables (front right). Background Shows Milestone cafe tables with backless Platform stools and Pocket Café.



Above Right: Deuce Café and Deuce Lounge seating with Toadstools and free range mobile Engage seating with tablet arms.

Café

The café, cafeteria and breakroom have all experienced a transformation from a “place to eat” to a place to “cool place hang out”.

These spaces provide a comfortable, relaxed (sometimes) quiet places for social interaction, study or just a place to “un-plug”. They are also frequently employed as multi-purpose spaces or even an extension of the classroom.

Individual and group seating with comfort and cleanability in mind is probably a good start. Your space may also include individual and group worksurfaces, both free standing and countertop types. Don't forget a casegoods storage option, and of course, you CAN dress up the trash receptacles with a nice enclosure.



Above Left: Bella chairs with Stance t-base tables, clusters of Full Time mobile round ottoman and Stance x-base tables and Oscar trash receptacle bin.

Above Right: Romak seating and Oscar.



Above: **Work+Box** tables with **elements** upper/lower and folio casegoods.



Above Left: **Work+Box** and perimeter upper/lower and sink **elements** casegoods. Above Right: **Work+Box** and **Carlo** stools with **Rubix** storage and **Derby** t-base tables.



Makerspace

Makerspace is an interesting “animal”. It is a space almost totally defined by which-ever group is using it! Whether your space is a home for a single purpose group or serves as an art room, a tech space with a 3D printer, a T-shirt silk screen shop and a sewing class, one thing is universally required - storage!

We have storage for you!

Wall mounted, track mounted, rolling, table base...you name it...we’ve got it.

We also have some really interesting combinations of worksurface and storage for you to consider. Just as there are an endless number of variations to the makerspace, we have furniture combinations to help you serve them all.



Above Left: **Rubix** storage. Above Right: **Crayon** tables and clusters of **Toadstools** and mobile **Jacqui** tables.



Above: **elements** caseworks with **Work+Box** tables and a **Wingman** desk.



Above Left: **Jack** desk and **elements** caseworks.



Above Right: **WCT** tables with panel option and **Stowaway** Personal Cabinet.

Classroom

Learning spaces seem to be constantly evolving. Some things, however, remain constant.

Classrooms require furniture that helps students to achieve their learning potential. Tables and seating that is comfortable, durable, flexible and meets the requirements of the space - even if that requirement changes throughout the year (or the day). The same flexibility and durability is true for furniture that serves the instructor. Classrooms still require storage space and in many cases whiteboard space.

From an engineering training center to early learning spaces, we can help you find the elements that make the perfect space for you- for today - for tomorrow..



Above Left: **Work+Box** and **eWall** with **Stowaway** and **Rubix** along the wall.



Above Right: **Rockford Picks** and **countoured tables** in a classroom setting.



"Take a seat." Literally.

Sometimes you have to spend a little time off of your feet. When that time comes, we have just the seat for you. Short ones, tall ones, cushy ones, hard ones...you name it - we got it. Dress your seating up with our wide array of finishes and fabrics to create the space that works for you.



Seating

Ottoman

Full Time
Full Time Jr.
Duo Connector
Duo Ottoman

Benches

Half Time
Bookmark
Rocky
Gizmo
Groot

Chairs & Stools

Slide
Romak
Bella

Platform
RoJon
Toadstool

Push-Pops
Carlo

Blox
Fred
Fredex

Shroom

Interactive Seating

Engage
Engage Jr.
Wink

Ad Lib
Gemini
Full Time Halfback

Shirley
Duo Lounge
Duo Café Counter

Pocket Lounge
Pocket Café Counter

Deuce Lounge
Deuce Café Counter

Chevre and Herb-Stuffed Chicken Breasts Preheat oven to 400° Serves 4

4 Chicken Breasts, boneless, skinless
2oz Chevre goat cheese, plain
2 Scallions, finely chopped
4 Sun-dried Tomatoes, rinsed, patted dry, finely chopped
2 T Fresh Basil, chopped
1 T Fresh Thyme, chopped
4T Lite Mayonnaise
1C Breadcrumbs

Line a low-sided baking sheet with foil.
Mix goat cheese, scallions, sun-dried tomatoes, basil and thyme in a medium bowl.
Rinse and pat dry chicken breasts. With a sharp knife, cut a deep pocket into the side of each breast. Stuff each breast with ¼ of the cheese mixture and press closed. Pour the breadcrumbs into a medium shallow bowl. Coat the top surface of each breast with the mayonnaise and then dip in the breadcrumbs. Place each breast, bread side up on the foil-lined pan.
Bake for @25 min or until chicken is done.
Pair with fresh steamed asparagus and sparkling water.

Serves 4



FULL TIME




FULL TIME Ottoman

- All Full Time ottomans have an 18" seat height
- Fully upholstered seat is 2" of high density foam on a 1" thick assembled wood frame.
- Available with steel legs, casters or oak post legs.
- Steel legs are fitted with a threaded weld nut and 1-7/8" ABS black leveling glide. Default powder coat is 809 Silver.
- FTD-20 models receive (5) 50mm casters, all other models receive (4) or (5) 75mm casters.
- See connectivity options on page 6.

CURVE STANDARD SIZES

MODEL	CURVE	RETURNS	HEIGHT
FTC-30	30°	24	18
FTC-60	60°	24	18



FTC-30

- FTC-30 is designed to conform to the concave side of a Drift curved mobile bookcase, 90° Cirrus curved table and Cheesewall privacy divider.
- FTC-60 is the equivalent of (2) FTC-30s (60° curve)

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- powder coat options
mediatechnologies.com/resources/finishes



FTC-60

Pairings...

Full Time ottomans pair nicely with each other and with other mediatechnologies furniture, such as the Cheesewall, Clover Table, and Drift mobile shelving.



FTD-51

ROUND STANDARD SIZES

MODEL	DIA.	HEIGHT"
FTD-20	20	18
FTD-36	36	18
FTD-51	51	18



SCO-0051
Formerly known as Time Out

CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SCO-0020	17	20	18
SCO-0030	25	30	18
SCO-0051	36	51	18



Above: Full Time Ottoman configurations create an inviting environment .



Above: Full Time Curves paired with DRIFT shelving .



Above: Full Time Round Ottomans and Derby Tables define this café space.

Right and Below: Full Time Curve and Round Ottomans can be arranged and re-arranged in many patterns to keep your commons areas fresh and interesting.


Bottom Left: Full Time Rectangle Ottomans give purpose to this small nook.

Bottom Right: Full Time Round and Crescent Ottomans arranged in a popular “Petal” design.



FULL TIME OPTIONS

FULL TIME LEGS & CASTERS



Standard steel leg



Caster



Oak post leg

LEG & Caster Descriptions

Metal legs are fabricated of 5/16" plate steel and include a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" ABS black leveling glide.

Other leg options include:

- 50mm casters for FTD-20 models.
- 75mm casters for other models.
- Oak post 3-1/2" x 3-1/2" with a 45° chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut.



Want it with casters or oak post legs ?

FTD-20-5C

Add the following suffix to the model number...

- 4C for four casters
- 5C for five casters (pentagon, round, crescent)
- 4W for 4 oak post legs
- 5W for five oak post legs (pentagon, round, crescent)



FTR-1836

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTR-1836	18	36	18
FTR-2436	24	36	18
FTR-2448	24	48	18



FTP-18

PENTAGON STANDARD SIZES

MODEL	RETURNS"	HEIGHT"
FTP-18	18	18
FTP-24	24	18



FTS-2424

SQUARE STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
FTS-2424	24	18
FTS-3636	36	18



FTHD-48

HALF ROUND STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTHD-48	24	48	18



CONNECTIVITY



DUET power unit
ADUF-1P2U-72-W

DUET

- For use in upholstered furniture
- 1 Power / 1 Dual USB
- 2 amps each USB charging port
- UL Listed
- Face mount shown
- White, silver and black face plate available
- 72" and 120" cords available

Connectivity panels can only be mounted on the flat vertical surfaces of Full Time ottomans

Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
- mediatechnologies.com/resources/downloads/brochures

FULL TIME JUNIOR Ottoman

- All "JUNIOR" ottomans have an 16" seat height
- Fully upholstered seat is 2" of high density foam on a 1" thick assembled wood frame.
- Fitted with ABS self-leveling glides.
- See connectivity options on page 6.



16"H

FULL TIME JR.



FTCJ-60

CURVE STANDARD SIZES

MODEL	CURVE	RETURNS	HEIGHT
FTCJ-30	30°	24	16
FTCJ-60	60°	24	16

- FTCJ-30 is designed to conform to the concave side of a Drift curved mobile bookcase, Cirrus curved table and Cheesewall privacy divider.
- FTCJ-60 is the equivalent of (2) FTCJ-30s (60° curve)



Hey!

These look just like Full Time Ottomans without the metal legs. Well, that's because they ARE! Lots of folks wanted Full Time Ottomans for the shorter clientele. Here they are - great ottomans - just a bit shorter.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- powder coat options
mediatechnologies.com/resources/finishes



FTRJ-1836

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTRJ-1836	18	36	16
FTRJ-2436	24	36	16
FTRJ-2448	24	48	16



FTPJ-18

PENTAGON STANDARD SIZES


MODEL	RETURNS"	HEIGHT"
FTPJ-18	18	16
FTPJ-24	24	16



FTSJ-2424

SQUARE STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
FTSJ-2424	24	16
FTSJ-3636	36	16



FTHDJ-48

HALF ROUND STANDARD SIZES


MODEL	DEPTH"	WIDTH"	HEIGHT"
FTHDJ-48	24	48	16



FTDJ-51

ROUND STANDARD SIZES

MODEL	DIA.	HEIGHT"
FTDJ-20	20	16
FTDJ-36	36	16
FTDJ-51	51	16



FTCOJ-0051

CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTCOJ-0020	17	20	16
FTCOJ-0030	25	30	16
FTCOJ-0051	36	51	16

DUO CONNECTOR



DUC-2418-USO-18

DUO Connector

- 4" thick luxurious upholstered cushion.
- Available with premium grade oak, maple or high pressure laminate faces.
- Edges are 3mm PVC or 3mm Wood.
- Metal legs are fabricated of 5/16" plate steel and include a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" ABS black leveling glide.



● POWER/CONNECTIVITY * Available on Closed units only.

AZTECH

- 2 Power / 1 Dual USB / 1 Open port
- White and black face plate available
- 72" and 120" cords available



Rectangle Open & Closed



DUC-2418-USO-18 DUC-2418-USC-18

Square Open & Closed



DUC-2424-USO-18 DUC-2424-USC-18

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-USO	24	18	18/25
DUC-2418-USC	24	18	18/25

SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2424-USO	24	24	18/25
DUC-2424-USC	24	24	18/25

45° Closed, Curved and Flat Back



DUC-2420-USCR45-18 DUC-2420-USCFR45-18 DUC-2426-USOR45-18

45° Open, Curved Back



90° Open and Closed



DUC-2435-USCR90-18 DUC-2452-USOR90-18

45° WEDGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2420-USCR45	24	20	18/25
DUC-2420-USCFR45	24	20	18/25
DUC-2436-USOR45	24	36	18/25

90° WEDGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2435-USCR90	24	35	18/25
DUC-2452-USOR90	24	52	18/25

Pairings...

Duo connectors are designed to connect to other seating and table components of the Duo Collection. Check out the other members of the Duo family and see what type of space you can build.



Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify wood and/or laminate choices separately.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Below: Duo Connectors with Duo Lounge seating, square Orbit tables, and Full Time mobile round ottomans.



Above: Duo Ottoman surrounded by Engage lounge seating.

DUO OTTOMAN



DUO Ottoman

- 4" thick luxurious upholstered cushion.
- Available with premium grade oak, maple or high pressure laminate faces.
- Edges are 3mm PVC.
- Metal legs are fabricated of 5/16" plate steel and include a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" ABS black leveling glide.
- All Duo ottoman models have integrated open storage areas.



ROUND STANDARD SIZES

MODEL	DIA	HEIGHT"
DUO-0030OTUS	30	18/25
DUO-0036OTUS	36	18/25

SQUARE STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
DUO-3030OTUS	30	18/25
DUO-3636OTUS	36	18/25

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUO-2442OTUS	24	42	18/25

Pairings...

Duo ottoman units interact well with lots of types of furniture. Heck, they're ottomans, right? Well, they are also a part of the Duo Collection. Check out the other members of the Duo family and see what type of space you can build.



Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify wood and/or laminate choices separately.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes

HALF TIME



HTR-1836

HALF TIME

- Fully upholstered seat cushion comprised of 2" high density foam.
- Seat base is 1-1/4" laminate top surface and .030" phenolic backer.
- Seat base edges are 3mm PVC.
- Metal legs are 5/16" plate steel and include a curved profile with a square mounting plate and a pair of decorative gussets. The bottom of each is fitted with a threaded weld nut and 1-7/8" black ABS leveling glide.
- Rectangle, round, square, curve, crescent and pentagon shapes.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- PVC and powder coat options
mediatechnologies.com/resources/finishes

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
HTR-1836	18	36	18
HTR-1848	18	48	18
HTR-2448	24	48	18



HTS-3636



HTP-24

SQUARE STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
HTS-36	36	18



HTD-36

PENTAGON STANDARD SIZES

MODEL	RETURNS"	HEIGHT"
HTP-18	18	18
HTP-24	24	18



Specify your choice of fabric, PVC edge and powder coat when ordering..

ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
HTD-36	36	18
HTD-51	51	18



HTC-60

CURVE STANDARD SIZES

MODEL	CURVE°	RETURNS"	HEIGHT"
HTC-60	60	24	18



HTSC-2530

CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
HTSC-30	25	30	18
HTSC-51	36	51	18

Pairings...

Half Time pairs nicely with itself. Create your own configurations. It also doesn't mind a little stand-alone time as well. Mix it up and use Half Time with both Duo and Pocket Lounge and Café seating.

Below: Twin **Half Time** benches provide a comfy spot to read in this high school bookstack zone.



BOOKMARK

- Solid wood construction. This bench will be around for a long time.
- Upholstered model features 2" thick upholstery foam.
- Legs equipped with adjustable glides.

BOOKMARK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
BMB-1848	18	48	18
BMB-1860	18	60	18



BMB-1860A



BMB-1860C

BOOKMARK

ROCKY

- Available with 1-3/8" thick solid wood top or 2" thick upholstered seat.
- Fully welded 14-gauge steel tubing leg frame assemblies with 1/4" thick mounting plates.
- Leg frames have welded threaded inserts for leveling glides.

ROCKY STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RB-1848	18	48	18
RB-1860	18	60	18



RB-1860C



RB-1860A

ROCKY

GIZMO

- Available with 1-3/8" thick solid wood top or 2" thick upholstered seat for comfort.
- Leg frame assemblies are fully welded with 1/4" thick mounting plates.

GIZMO STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GB-1848	18	48	18
GB-1860	18	60	18



GB-1860C



GB-1860A

GIZMO

GROOT Fixed Bench

- Appropriate for locker room and other fixed bench applications.
- Available with 1-1/2" thick solid wood top
- Leg frame assemblies are fully welded with 1/4" thick mounting plates. Welded and bolted column base is 3" diameter powder coated 16 gauge steel tubing.
- Top mounting plate is 6" x 9". Floor mounting plate is 5-1/2" x 7-1/4" x 1/4" steel plate.
- Molded plastic cover with black finish hides mounting screws in floor.
- Note: Customer to provide (4) floor anchors per base. 5/16" anchors required in cement. 3/8" toggles required in wood.

GROOT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GRTB-1248	12	48	18
GRTB-1648	16	48	18
GRTB-1260	12	60	18
GRTB-1660	16	60	18



GRTB-1660

GROOT

CHAIR SHELL FINISH OPTIONS



VENEER

- Oak or Maple veneer front and back surfaces
- Oak and Maple finishes
- Edges will match finish
- Visit mediatechnologies.com to view Finish and Color Guide.



SPRAYON

- Paint is Applied to veneer surfaces only.
- Edges are sprayed to match.
- Set up charge required, contact factory for pricing.
- 9 color options.
- Visit mediatechnologies.com to view Finish and Color Guide.



LAMINATE

- Same high pressure laminate applied to front and back surfaces
- Edges will be natural plywood
- Available in 18 Standard options
- Visit mediatechnologies.com to view Finish and Color Guide.



TWO-TONE LAMINATE

- Choose one laminate for the front of the seat and another for the back of the seat.
- Edges will be natural veneer plywood
- Visit mediatechnologies.com to view Finish and Color Guide.



Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify wood and/or laminate choices separately.

Visit the [mediatechnologies](http://mediatechnologies.com) website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes

CUSTOM GRAPHICS



CUSTOM LAMINATE

- Do you want your custom art incorporated into your shell seating, table tops or other furniture? Custom laminate can be created that can be applied to your furniture. Contact us to learn about our requirements for custom laminate.

YOUR ARTWORK

Our customers send us all types of logos and artwork to use in custom design. Unfortunately not all formats are acceptable. For the best results, we prefer the following file types.

Adobe Illustrator - .ai files
Encapsulated Post Script - .eps files
High resolution - over 300 dpi - .pdf files*

These files are referred to as Vector format files. This means that they can be resized and manipulated without losing resolution on the file meaning that they will look sharp and clear on your furniture.

* PDF file should be made from a vector art original. Simply saving a .JPG as a pdf will not suffice. When a bitmap logo is enlarged, it becomes distorted. If you send us a .JPG logo and we enlarge it to fit on your furniture, it will become distorted.

LASER DETAILS



HEY! CUT THAT OUT

- Grab handles, other basic shapes and some art can be laser cut into the back of your chair shell. Contact us for details about acceptable shapes and designs that we can cut for you.






Above: Romak chairs with Raetsel tables and clusters of Shroom stools and Blox.

Right: Slide chairs surround a Stance table with Stance rectangle tables in the background.

Bottom Left: Bella chairs and Malibu tables fitted with connectivity options.

Bottom Right: GTX tables shown with Bella Chairs.

Bottom of adjacent page: A mixture of Slide chairs and Milestone tables, along with Slide stools with custom logos and Downtown tables.



SLIDE CHAIR



SL-19L



SL-19LC

SLIDE CHAIR

- Smooth curves and strong lines add to this chair's urban flavor.
- Standard seat shell is veneer plywood. (Finish options on page 22)
- Available with optional upholstered seat cushion.
- Frame is fully welded 1" diameter 16-gauge powder coated steel.
- Black nylon glides are fitted in bottom of each leg.

SLIDE CHAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 33"			
SL-19_	21	17	19

SLIDE MOBILE



SLM-19LC



SLM-19L

SLIDE MOBILE CHAIR

- Mobile incarnation of the popular SLIDE chair.
- Standard seat shell is veneer plywood. (Finish options on page 22)
- Available with optional upholstered seat cushion
- Frame is fully welded 1" diameter 16-gauge powder coated steel.
- Four 60mm casters

SLIDE MOBILE CHAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 33"			
SLM-19_	21	17	19

Visit the mediatechnologies website for:

- finish, laminate and powder coat options

mediatechnologies.com/resources/finishes

SLIDE STOOL



SLS-31L



SLS-25LC

SLIDE STOOL

- Standard seat shell is veneer plywood. (Finish options on page 22)
- Available with optional upholstered seat cushion
- Frame is fully welded 1" diameter 16-gauge powder coated steel and includes a footrest.
- Black nylon glides are fitted in bottom of each leg.

SLIDE STOOL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 40"			
SLS-25_	21	17	25
OVERALL HEIGHT 45"			
SLS-31_	21	17	31



Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify powder coat, wood and/or laminate and upholstery choices separately.

ROMAK

ROMAK

- Sleek and **stackable**, Romak provides versatility without sacrificing design.
- Seat is formed veneer plywood shell. (Finish options on page 22)
- Mounting hardware that secures the shell to frame is fastened to the underside of the shell with wood screws.
- Powder coat frame with fitted plastic boot glides.
- * Chrome available upon request.
- Stool frame includes foot rest.

ROMAK CHAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 32"			
RM-18_	21	18.5	18

ROMAK STOOL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 45"			
RMS-30_	21	18.5	30



Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify wood and/or laminate, powder coat choices separately.

Did you know...

mediatechnologies offers custom laminate, custom graphic decals and a host of other options to integrate your identity into your furniture and your space? Check out our **Sign It** Brochure at mediatechnologies.com/downloads



How do I designate my choice of materials in your model number scheme? I don't see what I want in your Model Number Charts.



1. The **Size Charts** are there to give you an idea of what **sizes** are available. If we added every material variation, the book would get pretty thick and the boss wouldn't let us print it.
2. Specific material information AND model numbers are listed on the List Price Sheet for each product. You can download it from each product's page our website.

BELLA

- This "spicy" chair features elegant contours and sleek design.
- Seat is formed veneer plywood shell. (Finish options on page 22)
- Mounting hardware that secures shell to frame is fastened to the underside of the shell with wood screws.
- Frame assembly is comprised of 1", 16-gauge powder coated square steel tubing. Frame is completely welded.
- Stool frame includes foot rest.
- Legs are fitted with black nylon glides.

BELLA CHAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 33"			
BE-19_	21	17	19

BELLA STOOL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 34"			
BES-25_	21	17	25
OVERALL HEIGHT 39"			
BES-31_	21	17	31

BELLA





Left: Platform Chairs with Downtown tables Right: Platform stools with Milestone tables and Pocket Café seating.

PLATFORM CHAIR



PL-19LC



Back Detail

PLATFORM

- Strong, clean lines and a striking combination of natural and industrial materials give this chair a functional yet futuristic beauty.
- Upholstered seat cushion is 3" high-density upholstery grade foam on a 3/4" engineered wood base with a TFL face. Seat is bolted to frame using metal-to-metal connection.
- Seat back is fabricated of 1" thick Baltic birch with your choice of laminate. Edges are exposed Baltic birch tapered and profiled with a radius along the corners.
- The frame assembly is comprised of 1.25" square 14-gauge powder coated steel tubing and fitted chrome glides.

PLATFORM CHAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 37.5"			
PL-19_	19.75	16	19

PLATFORM STOOL



PLS-31LC



PLBS-31C

PLATFORM STOOL

- Stool is available with and without seat back.
- Upholstered seat cushion is 3" high-density upholstery grade foam on a 3/4" engineered wood base with a TFL face. Seat is bolted to frame using metal-to-metal connection.
- Seat back is fabricated of 1" thick Baltic birch with your choice of laminate faces. Edges are exposed Baltic birch tapered and profiled with a radius along the corners.
- The frame assembly is comprised of 1.25" square 14-gauge powder coated steel tubing and fitted with chrome glides.
- Frame includes a welded steel foot rail.

PLATFORM STOOL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 31" (BACKLESS)			
PLBS-31_	19.75	16	31
OVERALL HEIGHT 43.5"			
PLS-31_	19.75	16	31



Available in high pressure laminate.
Specify laminate, powder coat and upholstery
choices separately.



Right: A herd of **RoJon** with tablet arm waiting anxiously for their day's occupants.

ROJON



RJN-18C



RJN-18C-TA

ROJON

- Seat is tapered 18" wide upholstered 2" hi-density upholstery foam.
- Base, sides and seat braces are constructed of 1" thick engineered wood core with high-pressure laminate interior and exterior and PVC edges.
- Front opening is 11-7/8"H x 11-3/8"W, back opening is 11-7/8"H x 14-3/4"W
- Base is fitted with (4) 50mm casters.
- Tablet post is 24" tall x 1.25" DIA. round powder coated steel tubing.
- Tablet worksurface is 10-1/2" x 14-1/2" oblong shape. HPL surface and 3mm PVC edge.

ROJON STANDARD SIZES

MODEL	WIDTH"	LENGTH"	SEAT HEIGHT"
RJN-18C	18	19-1/4	18
WORKSURFACE 29" H			
RJN-18C-TA	18	19-1/4	18



ROLAND J. FASSBENDER

In June 1973, Roland John Fassbender burst upon the furniture design world like an atomic bomb. His unique use of line, space and the astronaut drink TANG made his work unmistakable. Fassbender-designed furniture was the most sought-after name in Paris, Cologne, Milan, Scottville and Chicago by mid 1974.

Fassbender, a self-proclaimed child prodigy, reputedly proficient in 14 languages, was rumored to have been educated at Rhode Island School of Design and Cordon Bleu in Paris. He was prone to fits of uncontrollable laughter, smelled of banana peel and had an insatiable appetite for pickled zucchini and anything to do with the actor Buddy Hackett. While his origin and credentials unverified and his behavior definitely erratic, his talent was self-evident.

During the after-party following the unveiling of his 1975 collection at NeoCon Morocco, Fassbender mysteriously disappeared. It is widely believed that his designs also disappeared with him. There have been several unconfirmed Fassbender sightings around the world since then, but no concrete evidence of his current whereabouts has ever been substantiated.

In 2014, a design sketch on a paper napkin and allegedly attributed to Fassbender was discovered in a restroom in Shelby, Michigan. **mediatechnologies** is both pleased and honored to present the only known example of Roland J. Fassbender's design genius in existence today...the **RoJon** mobile stool.



Above: Mediasharing Theater with Toadstools, Full Time ottomans, Cirrus tables and Crayon table.

Left: Toadstool seating with a Peadique table.

Below left: Toadstools with Malibu help desk.

Below right: Toad stools with elements counters, Bella chairs, Derby table and Full Time ottomans and Shirley Booths.



TOADSTOOL

- Conical seat component is 10-1/2" H x 15" Dia, tapers toward bottom and is fully upholstered with 1.5" thick foam on seat and 1/4" thick foam around the sides.
- Sturdy disc base is 1/4" thick powder coated steel plate and 18" in diameter. Column is 3" diameter powder coated steel tubing for maximum durability.
- Footring is 19" diameter.
- Base is fitted ABS knock-in glides.

TOADSTOOL STANDARD SIZES

MODEL	SEAT DIA"	OVERALL DIA"	SEAT HEIGHT"
TS-20	15	18	20
TS-25-FR	15	19 W FOOTRING	25
TS-30-FR	15	19 W FOOTRING	30

TOADSTOOL



PUSH-POPS

- Cylindrical seat component is 10-1/2" H x 15" Dia, is fully upholstered with 1.5" thick foam on seat and 1/4" thick foam around the sides.
- Sturdy base is 1/4" thick powder coated steel plate and 18" in diameter. Column is 3" diameter powder coated steel tubing for maximum durability.
- Footring is 19" diameter.
- Base is fitted ABS knock-in glides.

PUSH-POPS STANDARD SIZES

MODEL	SEAT DIA"	OVERALL DIA"	SEAT HEIGHT"
PP-20	15	18	20
PP-25-FR	15	19 W FOOTRING	25
PP-30-FR	15	19 W FOOTRING	30

PUSH-POPS



Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes

Left: Toadstool with Downtown tables Right: Push-Pops with Fixed-base tables.





Left: Peadique table with Carlo stools (foreground), Cirrus curved tables mated with Full Time 30" curved ottomans and Bella stools (center). Romak chairs and Derby mobile tables (behind) and Shirley booth seating with Derby tables along the wall.

Above: A Work+Box Clover table with Carlo mobile stools.

Below: Rockford Raetsel mobile tables with Carlo mobile stools.



CARLO

- Seat is 15" Dia. x 1" thick Baltic birch ply with exposed edges or as a fully upholstered 15" DIA seat with an engineered wood base and 2" high-density foam.
- Sprayon finish also available on wood base.
- Seat and 4-post base are fastened with wood screws.
- Leg and base are 14-gauge, 1-1/4" square powder coated steel tube welded to a 3/16" round steel base mounting plate.
- Each leg is capped and fitted with ABS leveling glides.

CARLO STOOL STANDARD SIZES

MODEL	BASE	SEAT HEIGHT"
CR-18	4 POST	18
CRS-25	4 POST	25
CRS-31	4 POST	31



CRS-25A



CRS-25C



CR-18A



CR-18C



CRS-31A



CRS-31C

CARLO MOBILE

- Seat is 15" Dia. x 1" thick Baltic birch Ply with exposed edges or as a fully upholstered 15" DIA seat with an engineered wood base and 2" high-density foam.
- Sprayon finish also available on wood base.
- Seat and base are fastened with wood screws.
- Leg and 5-post base are 14-gauge, 1-1/4" square powder coated steel tube welded to a 3/16" round steel base mounting plate.
- Each leg is capped and fitted with 50mm casters.

STANDARD SIZES

MODEL	BASE	SEAT HEIGHT"
CR-18-MOB	5 POST	18



CR-18A-MOB



CR-18C-MOB

CARLO is highly recommended
by...CARL!




Available in Oak or Maple veneer in many standard finish options and in high pressure laminate. Specify wood and/or laminate choices separately.

CARLO STOOL MOBILE

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



BLOX



CBLOX-17




CBLOX-6



TBLOX-17



PBLOX-14



QBLOX-14

BLOX

- These contemporary designs have a fully upholstered cover with 3mm black coil zipper for easy washing ability.
- High-density foam interior.
- Fun for the kids and unlimited function.

BLOX STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
CBLOX-6	17	17	6
CBLOX-14	17	17	14
CBLOX-17	17	17	17
QBLOX-6	17	17	6
QBLOX-14	17	17	14
QBLOX-17	17	17	17
TBLOX-6	19 ALL SIDES		6
TBLOX-16	19 ALL SIDES		14
TBLOX-17	19 ALL SIDES		17
PBLOX-6	17	17	6
PBLOX-14	17	17	14
PBLOX-17	17	17	17

FRED

- These contemporary designs have a fully upholstered cover with 3mm black coil zipper for easy washing ability.
- High-density foam interior.
- Fun for the kids and unlimited function.

FRED STANDARD SIZE

MODEL	WIDTH"	LENGTH"	OVERALL HEIGHT"
FRED	15	42	24

FREDEX STANDARD SIZE

MODEL	WIDTH"	LENGTH"	OVERALL HEIGHT"
FREDEX	18	49.25	29.3

Pairing...

Our fully upholstered, shaped seats are like sprinkles to a cupcake, pepperoni to pizza, or crumbled cookies to ice cream flurries! Sprinkle them around a commons space, or fit them into a corner slice of any room. Think of them as a la carte items that are made to enhance any space!



FRED & FREDEX



FredEx

FRED

Visit the mediatechnologies website for:

- graded fabric selection options.
- mediatechnologies.com/resources/fabrics

SHROOM STOOL


- This unique and comfortable stool is perfect for any children's learning space. It makes any space inviting and is built to stand up to the *fungi hunters* that will claim them.
- The base is built with industrial grade plywood.
- The mushroom cap is trimmed out with a 4" high-density foam seat cushion with flared frills under the cap.
- The stem is mounted to the cap with mechanical fasteners and also includes a durable polyvinyl base to prevent wear on the fabric at the bottom of the stem.

SHROOM STANDARD SIZE

MODEL	DIA"	SEAT HEIGHT"
SS-17-24	24	17

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics



SHROOM



SS-17-24



Above: Raetsel tables with Romak seating, with Shroom stools sprinkled about. Blox tucked away in the corner (back-right).

Right: Full Time 30° curved ottoman with Duo connector table surrounded by Blox seating.





Above Left: ENA models with Duo coffee table. Above Right: An ENAJ group with Shirley booths and Derby tables.

ENGAGE



ENGAGE

- Engineered solid alder hardwood frames.
- Heavy-duty web suspension seat covered with 5" of high-density upholstery foam.
- Heavy duty web strut construction back covered with 2.5" of high density upholstery foam
- Arms are covered with 1/2" of upholstery foam
- Choose arm or armless chair or double seat models.
- Each model is available with metal legs, wood post legs, casters and a combination of 2 casters and two legs.
- All models with casters receive a lift handle mounted to the seat back
- Tablet arm surface is 12mm baltic birch ply, exposed edges with a .625" radius, .050" high-pressure laminate work surface and a .030" phenolic backer.



ENA-2529



ENATR-2529-4C

ENGAGE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 33.25"				
EN-3029	R & L	29	30	18
ENL-2829	LEFT	29	28	18
ENR-2829	RIGHT	29	28	18
ENA-2529	NONE	29	25	18
ENATR-2529	TABLET ARM R	29	25	18
ENAW-3035	NONE	35	30	18

ENGAGE DOUBLE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 33.25"				
EN-5329	R & L	29	53	18
ENL-5129	LEFT	29	51	18
ENR-5129	RIGHT	29	51	18
ENA-4829	NONE	29	48	18

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



ENR-2829-18



ENL-2829-18



EN-3029-18



ENAW-3035-18



Above Left: ENATR models along the wall in a small commons area. **Above Right:** A singular EN chairs with a round Timetable occasional table.

ENGAGE OPTIONS

FULL TIME LEGS & CASTERS



Standard steel leg



Wood post leg



75mm caster



Lift handle

LEG & CASTER DESCRIPTIONS

- Metal legs are fabricated of 5/16" plate steel and include a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" ABS black leveling glide.
- Softec, twin-wheel non-locking 75mm black casters.
- Wood post 3-1/2" x 3-1/2" with a 45° chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut.

MODEL NUMBER SUFFIXES FOR LEGS & CASTERS

- 2D - 2 metal legs and 2 casters
- 4D - 4 metal legs
- 2W - 2 wood legs and 2 casters
- 4W - 4 wood legs
- 4C - 4 casters

MODEL NUMBER SUFFIXES FOR POWER/CONNECTIVITY (after legs)

- (no designation) - no power/connectivity panel
- EL - Power/connectivity panel on left side
- ER - power/connectivity panel on right side

CONNECTIVITY



DUET power unit
ADUF-1P2U-72-W

DUET

- For use in upholstered furniture
- 1 Power / 1 Dual USB
- 2 amps each USB charging port
- UL Listed
- Face mount shown
- White, silver and black face plate available
- 72" and 120" cords available

Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
mediatechnologies.com/resources/downloads/brochures

! Connectivity panels can only be mounted on the side surfaces of Engage seating



EN-5329-18



ENR-5129-18



ENL-5129-18



ENA-4829-18



Above: ENAJ models in a group setting with Cirrus tables and Full Time Jr. ottomans, plus a Full Time Round ottoman with Blox Crescents.

ENGAGE JR.

ENGAGE JR.

- 16" Seat height
- Engineered solid alder hardwood frames.
- Heavy-duty web suspension seat covered with 5" of high-density upholstery foam.
- Heavy duty web strut construction back covered with 2.5" of high density upholstery foam
- Fitted with ABS self-leveling glides



ENAJ-2529

16"H

ENGAGE JR. SEAT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 31.25"			
ENAJ-2529	29	25	16
ENAWJ-3035	35	30	16



ENAWJ-3035

Hey!

These look just like Engage Seats without the metal legs. Well, that's because they ARE! Lots of folks wanted Engage Seats for the shorter clientele. Here they are - great ottomans - just a bit shorter. Deja vu!



ENAJ-4829-18

ENGAGE JR. DOUBLE SEAT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 31.25"			
ENAJ-4829	29	48	16

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
mediatechnologies.com/resources/finishes

WINK

WINK

- 2-piece 18mm hardwood plywood frame.
- 4" of high-density base foam on seat top surface and seatback. An additional 1" of topper foam covers front, seat top, seat back and back top. 1/2" of foam on back and sides of unit.
- Base is 1" thick black melamine with a 3mm black PVC edge and is fitted with 6 ABS self leveling glides.

WINK CURVED STANDARD SIZES

MODEL	SEAT DEPTH"	WIDTH"	DEPTH"	SEAT HEIGHT"
OVERALL HEIGHT 33"				
WNK-30-7230	20	37.3	30	18
WNK-60-7230	20	72	30	18



WNK-3030



WNK-60-7230

WINK STRAIGHT STANDARD SIZES

MODEL	SEAT DEPTH"	WIDTH"	DEPTH"	SEAT HEIGHT"
OVERALL HEIGHT 33"				
WNK-3030	20	30	30	18
WNK-6030	20	60	30	18

Pairings...

Wink curve and straight units are designed to be combined in to simple seating configurations. You can also nest the Wink curve inside our Indy Table and inside a 60° Cirrus Table.



Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Above Left: Carlo Mobile Stools with Indy table (foreground). Wink curve and Blox (inside of Indy table.) **Above Right:** Wink curve and Blox nestled inside of the Indy table.



Above: **Ad Libs** create a very casual oasis in this section of the Wildcat Café. **Milestone** café tables and **Platform** backless stools fill the gap between the **Pocket** Curved Café counter seating and the more traditional-looking **Slide** and **Milestone** tables-and-chairs arrangement.



Left: **Ad Libs** showing off the possibilities of combining different fabric colors on the various faces.

Below: A bank of **Ad Libs** against a wall provide multi-level seating in this commons area.



AD LIB

AD LIB

- Fully upholstered modules featuring 2" thick high density upholstery grade foam on seat and 3/4" thick foam on all side surfaces.
- Single needle top stitch.
- 3/4" thick hardwood plywood assembled frame.
- Multi-groove dowel construction.
- Available as 2-tier, 3-tier, 2-tier corner and 3-tier corner modules. (Seating faces inside of corners)
- Base equipped with self-leveling glides.



AD2

AD2 STANDARD DIMENSIONS

TIER	DEPTH"	WIDTH"	SEAT HEIGHT"
BOTTOM	18	36	17
TOP	18	36	34
ADD2 STANDARD DIMENSIONS			
OVERALL	40	36	34



AD3

AD3 STANDARD DIMENSIONS

TIER	DEPTH"	WIDTH"	SEAT HEIGHT"
BOTTOM	9	36	8.5
MIDDLE	18	36	25.5
TOP	9	36	34
ADD3 STANDARD DIMENSIONS			
OVERALL	40	36	34



AD2C
Corner Units

AD2C (CORNER) STANDARD DIMENSIONS

TIER	DEPTH"	WIDTH"	SEAT HEIGHT"
BOTTOM	18	18	17
TOP	18	36	34
ADD2C STANDARD DIMENSIONS			
OVERALL	40	40	34



AD3C
Corner Units

AD3C (CORNER) STANDARD DIMENSIONS

TIER	DEPTH"	WIDTH"	SEAT HEIGHT"
BOTTOM	9	9	8.5
MIDDLE	18	27	25.5
TOP	9	36	34
ADD3C STANDARD DIMENSIONS			
OVERALL	40	40	34

Fabric Tip...

There is a very wide variety of vinyls and fabrics available. If you want to make things a bit more interesting, try combinations of materials on the faces of your Ad Libs!

Visit the mediatechnologies website for:

- graded fabric selection options.

mediatechnologies.com/resources/fabrics

GEMINI



GM-17D

GEMINI

- Contoured wood shell frame.
- High-resilience long lasting upholstery polyfoam.
- Fully upholstered seat.
- 6.5" diameter 1/4" thick steel mounting plate, 3" 14-gauge steel column and 18" diameter 1/4" thick steel base plate.
- Base is fitted with shallow ABS knock-in glides

GEMINI STANDARD SIZE

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
GM-17D	21	24	17

FULL TIME HALFBACK



FTSB-2424

FULL TIME HALFBACK

- Fully upholstered seat fabricated in square and rectangular shapes. Seat basis is 2" of high density foam on a 1" thick assembled wooden frame.
- Seat back is 5" of high-density foam at its base and tapers to 3" of foam at the top. The seat back is built on a 1" thick rectangular wooden panel.
- Seat and back are joined by an exterior baltic birch panel with exposed finished edges. Panel surface is high pressure laminate.
- Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" black leveling glide.

FULL TIME HALFBACK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 32"			
FTSB-2424	24	24	18
FTRB-2436	24	36	18
FTRB-2448	24	48	18
FTRB-2460	24	60	18

FULL TIME LEGS & CASTERS



Standard steel leg



75mm caster



Oak post leg

FULL TIME CONNECTIVITY



DUET power unit
ADUF-1P2U-72-W

⚠ Connectivity panels can only be mounted on the flat vertical surfaces of Full Time Halfbacks.

Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
mediatechnologies.com/resources/downloads/brochures



FTRB-2460



Above Left: An alcove of **Shirley** Booths and **Derby X-Base** Tables with mobile **Duo** Connectors. **Right:** **Derby** tables with **Shirley** double face low back seating.

SHIRLEY



SBS-2448-L

SHIRLEY

- Bench base assembly & back panel available in premium veneer or laminate finish. Laminate models receive corner guards on back panel edge corners.
- 4" high, veneer base and toe assemblies receive 3mm wood edge-banding. Laminate base and toe assemblies receive 3mm PVC edge-banding.
- Bench base is a 7/8" engineered wood assembled frame and bench back panel is a 2" engineered wood assembly.
- Seat cushion is 3-1/2" thick high-density foam on a 1/2" thick engineered wood base. Seat cushion is high density foam that tapers from 4-1/2" at the bottom to 2-1/2" at the top and is on a 1/2" engineered wood base.
- Seat cushions are attached to booth base and back with hook and loop fasteners.
- Available as a single or double booth with 42" or 48" H back panel.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Shirley booths are available in many standard finish options. Specify finish choices separately.

SINGLE FACE LOW BACK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 42"			
SBS-2442-L	24	42	18
SBS-2448-L	24	48	18
SBS-2460-L	24	60	18



DOUBLE FACE LOW BACK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 42"			
SBD-2442-L	46	46	18
SBD-2448-L	46	48	18
SBD-2460-L	46	60	18

SINGLE FACE HIGH BACK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 48"			
SBS-2442-H	24	42	18
SBS-2448-H	24	48	18
SBS-2460-H	24	60	18



DOUBLE FACE HIGH BACK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 48"			
SBD-2442-H	46	42	18
SBD-2448-H	46	48	18
SBD-2460-H	46	60	18



Above Left: Duo lounge seating with Duo connector tables. **Above Right:** Duo lounge seating with Duo connector stools and coffee tables.

DUO LOUNGE



DUO-25



DUO LOUNGE

- Seat cushions are 3" high-density upholstery grade foam. Back cushions are upholstery grade foam, tapered from 4" at the base to 3" at the top. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Base and back assemblies are fabricated from 3/4" engineered wood with premium grade veneer or laminate faces. Finished edges receive a 3mm wood (with veneer) or PVC (with HPL) edge.
- Legs are fabricated from 5/16 plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

CONNECTIVITY



AZ-2P2USB-72-W

AZTECH

- 2 Power / 1 Dual USB / 1 Open port
- White and black face plate available
- 72" and 120" cords available

Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
mediatechnologies.com/resources/downloads/brochures

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes

DUO LOUNGE STANDARD SIZES

MODEL	SEAT DEPTH"	DEPTH"	WIDTH"	SEAT HEIGHT"
OVERALL HEIGHT 34.25"				
DUO-25	23	28.5	25	18
DUO-L35	23	28.5	35.5	18
DUO-R35	23	28.5	35.5	18
DUO-36	23	28.5	36	18
DUO-RL45	23	28.5	45.5	18
DUO-48	23	28.5	48	18
DUO-60	23	28.5	60	18

Pairings...

Duo Lounge and Duo Café Counter are designed to connect to other seating and table components of the Duo Collection. Check out the other members of the Duo family and see what type of space you can build.



DUO-36



DUO-L35
Left Miter



DUO-RL45
Center Miter



DUO-R35
Right Miter

DUO CAFÉ COUNTER



DUO-36-CCL

DUO CAFÉ COUNTER

- Seat cushions are 3" high-density upholstery grade foam. Back cushions are upholstery grade foam, tapered from 4" at the base to 3" at the top. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Base and back assemblies are fabricated from 3/4" engineered wood with premium grade veneer or laminate faces. Finished edges receive a 3mm wood (with veneer) or 3mm PVC (with HPL) edge.
- Back panel and counter top are fabricated of 1" thick baltic birch with an HPL face. Edges are exposed baltic birch profiled square with radiused corners. 12" depth counter top is connected to back panel using both tongue and groove construction and (2) bent 1" oak or maple plywood "L" brackets.
- Legs are fabricated from 5/16 plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black leveling glide.

CONNECTIVITY




AZ-2P2USB-72-W

AZTECH

- 2 Power / 1 Dual USB / 1 Open port
- White and black face plate available
- 72" and 120" cords available

DUO CAFÉ COUNTER STANDARD SIZES

MODEL	SEAT DEPTH"	DEPTH"	WIDTH"	SHELF HEIGHT"	SEAT HEIGHT"
					OVERALL HEIGHT 46"
DUO-25-CC	19	40.6	25	42	18
DUO-L35-CC	19	40.6	35.5	42	18
DUO-R35-CC	19	40.6	35.5	42	18
DUO-36-CC	19	40.6	36	42	18
DUO-RL45-CC	19	40.6	45.5	42	18
DUO-48-CC	19	40.6	48	42	18
DUO-60-CC	19	40.6	60	42	18

 Duo Lounge and Duo Café Counter are available in 12 standard finish options. Specify finish choices separately.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



DUO-25-CC



DUO-L35-CC
Left Miter



DUO-RL45-CC
Center Miter



DUO-R35-CC
Right Miter

Below: Duo Café seating with Duo Coffee tables. Café side is accompanied by Toadstool seating.



POCKET LOUNGE

POCKET Lounge

- Seat cushions are 3" high-density upholstery grade foam. Back cushions are upholstery grade foam, tapered from 4" at the base to 3" at the top. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Base assembly is fabricated from 3/4" engineered wood with premium grade veneer or laminate faces.
- Back assembly is 15/16 engineered wood with premium grade veneer or laminate faces. Finished edges receive a 3mm wood (with veneer) or self edge (with HPL).
- Legs are fabricated from 5/16 plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.



PKT-QR90

POCKET LOUNGE STANDARD SIZE

MODEL	SEAT HEIGHT"	WIDTH"	OVERALL HEIGHT"	OVERALL DEPTH"
PKT-QR90	18	79	34.3	24

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Pocket Lounge and Pocket Café Counter are available in many standard finish options. Specify finish choices separately.

Pairings...

Pocket Lounge and Pocket Café Counter create intimate gathering spaces.

Accompany them with worksurfaces or coffee tables to add functionality and additional seating for increased capacity. Pocket is ready for both!



Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
mediatechnologies.com/resources/downloads/brochures



Left: Pocket lounge curve seating with Time Table occasional table, Facing elements storage cabinets. Duo lounge in the corner encompasses an Orbit table with Full Time ottoman. elements breakroom cabinets along back wall (left), and Orbit tables with Platform chairs (foreground).

Right: **Pocket Café** curved seating with **Orbit** tables with custom laminate. Café side is accompanied by **Platform** backless stools. Arrangement is surround by **Milestone** x-base cafe tables and **Platform** backless stools. (Far-right background) shows **Milestone** t-base mobile tables with **Slide chair** seating.



POCKET CAFÉ COUNTER

POCKET Café Counter


- Seat cushions are 3" high-density upholstery grade foam. Back cushions are upholstery grade foam, tapered from 4" at the base to 3" at the top. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Base assembly is fabricated from 3/4" engineered wood with premium grade veneer or laminate faces.
- Back assembly is 15/16 engineered wood with premium grade veneer or laminate faces. Finished edges receive a 3mm wood (with veneer) or self edge (with HPL).
- Counter top is fabricated of 1" thick baltic birch with an HPL worksurface. Edges are exposed baltic birch profiled square with radiused corners. 12" depth counter top is connected to back panel using (2) bent 1" oak or maple plywood "L" brackets.
- Legs are fabricated from 5/16 plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

POCKET CAFÉ STANDARD SIZE

MODEL	WIDTH"	OVERALL DEPTH"	OVERALL HEIGHT"	COUNTER HEIGHT"	SEAT HEIGHT"
PKT-QR90-CC	96	37.25	46	42	18



Pocket Lounge and Pocket Café Counter are available in many standard finish options. Specify finish choices separately.



PKT-QR90-CC

Visit the mediatechnologies website for:

- more connectivity options in our Connect Brochure.
mediatechnologies.com/resources/downloads/brochures

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Left: Deuce Lounge with Milestone table. Right: Deuce Lounge high-back seating and Orbit tables.

DEUCE LOUNGE



DEU-25



DEU-36



DEU-48



DEU-60



DEU-36-HB

DEUCE Lounge

- Seat cushions are 3-1/2" high-density upholstery grade foam built upon a 1/2" engineered wood base. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Seat base is 3/4" black melamine and seat back is 11/16" engineered wood. Back panel can be finished in veneer with wood edges or HPL with PVC edges and is available in 36" or 48" heights. Veneer option can accept sprayon finish.
- Frame and legs are fabricated from 1-1/4" 16-gauge steel tube weldments. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

DEUCE LOUNGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	OVERALL HEIGHT"	SEAT HEIGHT"
DEU-25	28	25	36	18
DEU-25-HB	28	25	48	18
DEU-36	28	36	36	18
DEU-36-HB	28	36	48	18
DEU-48	28	48	36	18
DEU-48-HB	28	48	48	18
DEU-60	28	60	36	18
DEU-60-HB	28	60	48	18



DEU-48



Duo Lounge and Duo Café Counter are available in many standard finish options. Specify finish choices separately.

Pairings...

Deuce Lounge and Deuce Café Counter are frequently found in commons, café and cafeteria spaces because they work so well with a variety of tables, for example the Duo Connector Tables and complementary seating options. The high-back lounge brings an element of privacy to your booth spaces.





Left: Combinations of **Deuce Lounge** and **Café Counter** seating with **Duo Connector** table and **Toadstools**.

DEUCE CAFÉ



DEU-25-CC



DEU-36-CC



DEU-48-CC



DEU-60-CC

DEUCE Café

- Seat cushions are 3-1/2" high-density upholstery grade foam built upon a 1/2" engineered wood base. Seat and back cushions are fastened to bench base and back with hook and loop fasteners.
- Seat base is 3/4" black melamine and seat back is 11/16" engineered wood. Back panel can be finished in veneer with wood edges or HPL with PVC edges. Veneer option can accept sprayon finish.
- 12" deep counter shelf is 1" thick veneer plywood with an HPL worksurface and PVC edges. Shelf support bracket is 11-gauge flat steel with 1/2" steel rod.
- Frame and legs are fabricated from 1-1/4" 16-gauge steel tube weldments. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

DEUCE CAFÉ COUNTER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"	SHELF HEIGHT"	SEAT HEIGHT"
DEU-25-CC	40	25	38	36	18
DEU-36-CC	40	36	38	36	18
DEU-48-CC	40	48	38	36	18
DEU-60-CC	40	60	36	36	18

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



DEU-36-CC



Not all work needs to be done in a group. Sometimes you just have to be alone. Whether by your choice (or someone else's) a quiet focused area for work or study is the destination of choice. We offer traditional furniture solutions, like the Classroom Carrel, and a more updated version, the Cabana. To divide or segment a room, you just can't beat our Cheesewall.


Privacy

Carrels

Classroom Carrel
Cabana

Dividers

Cheesewall



Randy's Cheese Ravioli with Tomato Cream Sauce

Prep Time: 30-40 minutes

- 2T Olive Oil
- 2 Med Onions, diced or julienned
- 4-5 Med - Large cloves of garlic, diced
- ¼C white wine
- 1 15 oz Can diced tomatoes (fresh tomatoes are nice when in season)
- 1 8 oz Can tomato sauce
- 1C Heavy cream
- 2-3T Store bought Pesto***
- Salt - to taste
- Pepper - to taste
- 1 Bag frozen cheese ravioli

***In the summer we use fresh basil and oregano instead of the pesto.
When you start the onions, start the water for the ravioli.

Start the olive oil over medium heat, add the onions, after a 2-3 minutes add the garlic. When the onions are translucent deglaze with the white wine. Now add the diced tomatoes, tomato sauce, salt, pepper and pesto, let simmer for 5-10 minutes and add the cream.
Let simmer 5-10 minutes and add the ravioli, simmer another 3-4 minutes and serve.



CLASSROOM MEDIA CARRELS



TPP31-2836SSC
Single-Face Starter

Pairings...

May we suggest our mobile **Slide** chair with a nice plush cushion.

Let's be honest, when you sit at a Classroom Media Carrel you're probably planning to be there a good long while.

Why not make it a little cozier?



CLASSROOM Media Carrels

- Melamine vertical panels banded with PVC edges
- High-pressure laminate worksurface with PVC edge and wire management grommet. 35" and 48-1/2" widths available.
- Post & Panel models with 14-gauge powder coated steel tubing
- Standard worksurface height is 29"
- Starter-Adder configurable Carrels are designed modularly and may be disassembled and reconfigured. Adder units are similar to initial units but substitute one intermediate panel for two end panels.

PANEL END STANDARD SIZES WORK SURFACE 29"H

MODEL	DEPTH"	WIDTH"	HEIGHT"
T31-2836SSC	31	36-7/8	48
T31-2836SSCA	31	35-7/8	48
T31-2848SSC	31	50-3/8	48
T31-2848SSCA	31	49-3/8	48
T31-2836DSC	60	36-7/8	48
T31-2836DSCA	60	35-7/8	48
T31-2848DSC	60	50-3/8	48
T31-2848DSCA	60	49-3/8	48

POST & PANEL END STANDARD SIZES WORK SURFACE 29"H

MODEL	DEPTH"	WIDTH"	HEIGHT"
TPP31-2836SSC	31	36-7/8	48
TPP31-2836SSCA	31	35-7/8	48
TPP31-2848SSC	31	50-3/8	48
TPP31-2848SSCA	31	49-3/8	48
TPP31-2836DSC	60	36-7/8	48
TPP31-2836DSCA	60	35-7/8	48
TPP31-2848DSC	60	50-3/8	48
TPP31-2848DSCA	60	49-3/8	48

PANEL END



T31-2836SSC
Single-Face Starter



T31-2836SSCA
Single-Face Adder



T31-2836DSC
Dual-Face Starter



T31-2836DSCA
Dual-Face Adder

POST & PANEL END



TPP31-2836SSC
Single-Face Starter



TPP31-2836SSCA
Single-Face Adder



TPP31-2836DSC
Dual-Face Starter



TPP31-2836DSCA
Dual-Face Adder

CABANA



CAB-3844L



Cabana is available in high-pressure laminate and melamine. Specify laminate and edge choices separately.

CABANA

- 1-1/4" thick high pressure laminate or melamine vertical panels.
- 1-1/4" thick high pressure laminate work surface and side shelf.
- 3mm PVC edging
- Double backpack hook, worksurface grommet and wire management channel included.
- Adjustable leveling glides with nylon feet.
- Starter/Adder configurable (CABANA-3844L/CABANA-3844LA)

CABANA STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CAB-3844_	38	44-1/4	48
CAB-3844A_	38	43	48



Pairings...

Cabana works well with Bella, Slide, Slide Mobile, and Romak shell chairs. You may also want to pair Cabana with the Full Time Halfback shown to the left, the Full Time square ottoman, Full Time Round Mobile Ottoman or mediatechnologies own mobile Carlo stool!




CHEESEWALL

- Freestanding 1" thick privacy wall 60" tall and 78-5/8" wide with 7 observation ports.
- Configure and connect as many walls as needed.
- Available in laminate, marker board, and veneer. Veneer option is able to have Sprayon finish applied.
- Each wall is held upright with (3) 8-1/2"L steel feet. Each foot comes equipped with (2) black leveling glides.
- Casters are optional.

STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
CURVED CHEESEWALL		
CZW-6078L	78-5/8	60
CZW-6078L-MOB	78-5/8	63
CMW-6078L	78-5/8	60
CMW-6078L-MOB	78-5/8	63



CMW-6078L
American Cheese



CZW-6078L
Swiss Cheese

Pairings...

Cheesewall pairs nicely with Full Time curved ottomans. Add a little extra depth to Cheesewall by using ottomans on the inside, outside or both sides... consider adding an occasional table or round ottoman to the inside to pair up with the Full Time curves.




Cheesewall is available in high pressure laminate. Specify laminate and powder coat choices separately.

Visit the mediatechnologies website for:

- graded fabric selection options.
mediatechnologies.com/resources/fabrics
- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



REQUESTING A QUOTE BASED ON THIS DRAWING, YOU MUST INCLUDE:



Work surface, study surface, eat surface...tables serve many functional purposes. But with so many different bases, materials and surface shapes to choose from, style becomes as important as function. From occasional table to conference table, we're sure we have something that will be just perfect for you. If not, ask us. We'll make it for you.



DUO CONNECT

Tables

Coffee, Connector and Occasional

Duo Coffee
Time Table
Duo Connector

Classica
Saeth
Metro

Orbit
Derby
Vector

Column Base Tables

Alba
Alba Fin
Porter

Technix
Peadique
Orbit

Derby
Stance
Nimble

Rally
Milestone
Eclipse

Otz

Post Leg Base Tables

Rockford
Rockford Pick
Vector

GTX
GTX Community
SST

Wood Science
Malibu

Workstations

Work+Box
Stellar
Edison
Cirrus

Workstations

Cirrus Computer
Curved Cirrus

WCT
Matrix
Z-Table

Crayon
Indy
Kirby

Downtown
Grootable
elements counter

Turkey Cheddar Burgers

Serves 4

Burgers:
16-20 oz Ground Turkey
1/2C Red onion, finely chopped
1 Medium zucchini, shredded
1C Shredded cheddar cheese
4 Multigrain hamburger buns
Lettuce leaves
Tomato slices

Sauce:
1/4C Ketchup
1/4C Lite mayonnaise

Mix the ground turkey, onion, zucchini and cheese in a large bowl. Form into 4 patties. Grill or cook on griddle for approximately 8 minutes per side.

To prepare sauce whisk ketchup and mayonnaise together. Serve burgers on multigrain buns with sauce, tomato slices and lettuce.

Pair with sweet potato fries and cold Ginger Ale.



DUO COFFEE TABLES



DUO-0030OT-14



DUO-3636OT-14



DUO-2442OT-14

* Not available with power option


DUO COFFEE TABLES

- Table tops are 1" with .050" high-pressure laminate top surface and .030" phenolic backer. Edges are 3mm PVC.
- Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" black leveling glide.
- All models provide open storage areas.

OPTIONS

● POWER/CONNECTIVITY Available on Round & Square Tables

- 2 power/2 active USB/1 open port
- 72" long cord
- Black or white finish



AZ-2P2U1O-72-W

DUO COFFEE ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
DUO-0030OT-	30	14/21
DUO-0036OT-	36	14/21

DUO COFFEE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUO-3030OT-	30	30	14/21
DUO-3636OT-	36	36	14/21

DUO COFFEE RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUO-2442OT	24	42	14/21



Available with laminate top with PVC edge banding and powder coated steel legs.

TIME TABLE

- Table tops are 1" with .050" high pressure laminate top surface and .030" phenolic backer. Edges are 3mm PVC. Corners are rectilinear and pentagon tops are square with a 1/8" radius.
- Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" black leveling glide.

TIME TABLE



TT2424-16



TT2448-16

TIME TABLE RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TT2430-	24	30	16
TT2448-	24	48	16
TT3048-	30	48	16

TIME TABLE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TT2424-	24	24	16
TT3030-	30	30	16



TT0030-16

ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
TT0030-	30	16



TTC-60-16

CURVE STANDARD SIZES

MODEL	CURVE"	RETURNS"	HEIGHT"
TTC-60-	60	24	16



TTSC-30-16

CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TTSC-30-	25	30	16
TTSC-51-	36	51	16



TTP1818-16

TIME TABLE PENTAGON STANDARD SIZES

MODEL	RETURNS"	HEIGHT"
TTP1818-	18	16
TTP2424-	24	16

DUO CONNECTOR TABLE

DUO CONNECTOR TABLE

- Table tops are 1" with .050" high-pressure laminate top surface and .030" phenolic backer. Edges are 3mm PVC.
- Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" black leveling glide.
- Open and closed models available.

OPTIONS

- POWER/CONNECTIVITY * Available on Closed units only.

- 2 power/2 active USB/1 open port
- 72" long cord
- Black or white finish



DUC-2424-C-14



DUC-2436-C-14



DUC-2436-O-14



DUC-2424-C-14



DUC-2424-O-14

DUO RECTANGLE CLOSED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-C-	24	18	14/21
DUC-2420-C-	24	20	14/21
DUC-2436-C-	24	36	14/21
DUC-2452-C-	24	52	14/21

RECTANGLE OPEN STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-O-	24	18	14/21
DUC-2420-O-	24	20	14/21
DUC-2436-O-	24	36	14/21
DUC-2452-O-	24	52	14/21

DUO SQUARE CLOSED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2424-C-	24	24	14/21

SQUARE OPEN STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2424-O-	24	24	14/21



DUC-2418-FR45-14



DUC-2418-CR45-14



DUC-2418-OR45-14



DUC-2435-CR90-14



DUC-2435-OR90-14

DUO 45° WEDGE CURVED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-CR45-	24	18	14/21
DUC-2420-CR45-	24	20	14/21

45° WEDGE OPEN STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-OR45-	24	18	14/21
DUC-2420-OR45-	24	20	14/21

45° WEDGE FLAT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2418-FR45-	24	18	14/21
DUC-2420-FR45-	24	20	14/21

DUO 90° WEDGE CURVED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2435-CR90-	24	35	14/21

90° WEDGE OPEN STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DUC-2435-OR90-	24	35	14/21
DUC-2452-OR90-	24	52	14/21

Below Left: Duo Connectors with Duo Lounge seating. Below Right: Deuce Lounge and Deuce Café Counter with Duo Connector table (shown with power option), and Toadstools.



CLASSICA



DS24T-22

CLASSICA

- Tops are 1-1/4" thick, three ply engineered wood construction with .050" high pressure laminate and a phenolic backer sheet.
- Edge is solid hardwood with a radiused top edge.
- Hardwood veneer top may be specified as an alternate to HPL.
- Table base is formed plywood cylinder wrapped with select hardwood veneer.

CLASSICA CYLINDER STANDARD SIZES

MODEL	DIA"	HEIGHT"
DR18TOL-22	18	22
DR24TOL-22	24	22

CLASSICA CUBE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
DS20TOL-22	20	20	22
DS26TOL-22	26	26	22



Classical is available in many standard finish options. Veneer may have Sprayon finish applied. Also available in HPL with a 3mm PVC edge. Specify finish choices separately.

SAETH



STH-VW0036-18

SAETH

- Table tops are 1-1/4" thick, three-ply engineered wood construction, with .050" high pressure laminate surface and phenolic backer. The standard edge is 5/8" x 1-5/8" solid red oak with a 1/8" radius on the top edge, 30° reverse bevel and 1/16" radius on the bottom edge.
- The legs and frame are 1-1/4" solid glued up red oak hardwood.
- Each leg is equipped with a tack-glide.

SAETH ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
STH-VW0030-18	30	18
STH-VW0036-18	36	18
STH-VW0024-22	24	22



Saeth is available in many standard finish options. Veneer may also receive a Sprayon finish. Choose HPL worksurface. Specify finish and laminate choices separately.

METRO



M2424T-22

METRO

- Table tops are 1-1/4" thick, three-ply engineered wood construction, with .050" high pressure laminate surface and a phenolic backer.
- Edge is 5/8" x 1-5/8" solid red oak with a 1/2" radius.
- Legs are 2-1/4" solid glued up red oak with a 3/8" radius on all edges. They are attached to the top by means of a 5"x5/16" steel plate.
- Each leg has a decorative groove and is equipped with a leveling glide.



METRO SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
M2424T-	24	24	18/22
M3030T-	30	30	18/22

METRO ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
M0030T-	30	18/22
M0036T-	36	18/22

METRO RECTANGULAR STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
M2448T-18	24	48	18/22

ORBIT

ORBIT

- Table tops are 1-1/4" thick, three-ply 45# particleboard construction with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius. Radiused corners on square tops have a 2" radius.
- Disc-single column 14-gauge fabricated steel, 3" column on 17" or 22" disc base.
- Base supplied with mini-levelers that will raise the top an additional 3/8" from the floor.

ORBIT SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
O17-C2424-16	24	24	16
O22-C3030-16	30	30	16

ORBIT ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
O22-C0030-	30	16
O22-C0036-	36	16



O22-C0030-16



O22-C0030-16

DERBY

- Table tops are 1-1/4" thick, three ply engineered wood construction with .050" high pressure laminate and a phenolic backer sheet. Edges are 3mm PVC
- X-base cast aluminium base has a 2-1/4" diameter column with bolted horizontal cast aluminium base and fabricated steel mounting plate .187" thick x 6"D x 8"W
- Bases supplied with 1" diameter levelers

DERBY SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
DX20-C2424-18	24	24	18/22
DX26-C3030-18	30	30	18/22

DERBY ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
DX26-C0030-	30	18/22
DX26-C0036-	36	18/22



DX26-C0030-18



DX26-C0030-18

VECTOR

VECTOR

- Tops are 7/8" thick, three-ply particleboard construction, with a .050" high pressure laminate top surface and a .030" phenolic backer. Corners on rectilinear tops: square corners on banded tops have 1/8" radius. Top is mounted directly to leg frames and stretcher. Edges are 3mm PVC.
- Two 1-1/2" diameter 14 gauge steel legs are welded to a 1" x 2" steel tube frame to form a single, rigid end frame assembly.
- Legs are fitted with adjustable glides



VT-C2424-22

VECTOR RECTANGULAR STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
VT-C2448-	24	48	18/22

VECTOR ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
VT-C0030-	30	18/22

VECTOR SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
VT-C2424-	24	24	18/22
VT-C3030-	30	30	18/22

ALBA



AA-C20/2460W-29

Note:
Alba Wing is only available with C 3mm PVC edge.


ALBA WING STANDARD SIZE

MODEL	END/MID DEPTH"	WIDTH"	HEIGHT"
AA-C20/2460W-	20/24	60	29

ALBA

- Table tops are 1" thick, three-ply particleboard with .050" high-pressure laminate top surface and .030" phenolic backer. Edge types include 3mm hardwood and 3mm PVC.
- Tops are available in rectilinear and "wing" shapes.
- Corners on rectilinear tops are square with a 1/8" radius. Tops 60" and over are supported on the underside with a 14 gauge steel keel.
- Legs are powder coated 16-gauge oval tubing.
- Adjustable leveling glides are standard. Locking casters are **optional**.
- Wheel-barrow style combination of casters and glides are also an option.
- Optional Modesty Panels: Tables may be fitted with an optional laminate modesty panel.

EDGE PROFILES



MODESTY PANELS

Laminate
Modesty Panel

Alba Wing is only available with C 3mm PVC edge.



Alba tables are available in many standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.



Surfboard as a privacy panel.



AA-C2460-29-2C
Shown in Wheelbarrow Configuration



Surfboard as a collaborative learning tool.

Surfboard is a great addition to anyspace. This dry erase marker board can be used in a variety of ways in a multitude of environments. Contact your sales representative for details.

ALBA RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
AA- 2236-	22	36	29
AA- 2248-	22	48	29
AA- 2260-	22	60	29
AA- 2736-	27	36	29
AA- 2748-	27	48	29
AA- 2760-	27	60	29

Visit the mediatechnologies website for:
• finish, laminate and powder coat options
[mediatechnologies.com/resources/finishes](https://www.mediatechnologies.com/resources/finishes)

ALBA FIN

ALBA FIN

- Sharp and contemporary welded 16-gauge metal oval tube frame.
- 1" thick top with high pressure laminate work surface.
- Top available in "Fin" shape. Tables can be used as an individual desk or arranged in different collaborative patterns.
- Adjustable leveling glides are standard and 2 locking casters in a wheel barrow style is standard.
- Perforated metal modesty panel is optional

ALBA FIN STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
AF_-2731-29-2C	27	31	29



AF-C2731-29-2C



Alba tables are available in many standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options

mediatechnologies.com/resources/finishes

Alba Finn Table Configurations



Top-left: Alba Fin tables with wheel-barrow style mobility casters in group configurations.



Top-right: Alba Fin tables with wheel-barrow style mobility casters in individual student desk configuration.

PORTER



PT22-C3060



Table adjusts manually with hand crank from 27-1/4" to 45" in height.

PORTER

- Adjustable height work table.
- 1-1/4" thick high pressure laminate work surface with 3mm PVC edges.
- Table is manually adjustable in height from 27-1/4" to 45" with retractable hand crank.
- Base is powder coated steel and is fitted with nylon levelling glides.
- Optional 2" locking casters (4). Note: Addition of casters adds 2" to the starting height of the adjustable range

EDGE TYPES



CASTERS



PORTER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
PT18- _2448	24	48	27-1/4 -45
PT18- _2460	24	60	27-1/4 -45
PT18- _2472	24	72	27-1/4 -45
PT22- _3048	30	48	27-1/4 -45
PT22- _3060	30	60	27-1/4 -45
PT22- _3072	30	72	27-1/4 -45



Available in a full array of high-pressure laminate options. Choose a coordinating or contrasting edgeband PVC. Powder coat selection is needed for base. Specify finish choices separately.

TECHNIX FLIP-TOP TABLE

- High-density, inline nesting capabilities offer 8" incremental space per nesting table.
- Technix is a flip-top, mobile, nesting table with 1-1/4" thick, three-ply particleboard core with a .050" high pressure laminate top surface and a .030" phenolic backer with 3mm PVC edges. Square corners on banded tops have a 1/8" radius.
- Legs are 1-1/2" diameter, 16 gauge bent steel tubing welded to a 12 gauge solid steel formed mounting plate.
- Single lever for flip mechanism
- Legs come with 3" casters installed.

TECHNIX RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TNX- _2448W-	24	36	29
TNX- _2460W-	24	48	29
TNX- _2472W-	24	60	29
TNX- _3048W-	24	48	29
TNX- _3060W-	30	60	29
TNX- _3072W-	30	72	29

EDGE TYPES



TNX-C2460W-29

Flip Top allows table top to be flipped for ease in moving and storage.



TECHNIX HALF-ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
TNX- _48HR-	48	29
TNX- _60HR-	60	29



TECHNIX BEANIE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TNX-C3060BN-	36	60	29



TECHNIX FLAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TNX-C3060WFL-	36	60	29

PEADIQUE (OK, pronounced PDQ)

- Peadique is at home in office, learning, café or commons area environments.
- Table tops are 1-1/4" thick, three-ply particleboard with .050" high-pressure laminate top surface and .030" phenolic backer. Edge types include 8mm hardwood and 3mm PVC.
- Legs are 14-gauge, 1-1/4" square powder coated steel tube. All four legs are tied together with a 1/4" diameter foot ring welded through each leg. Each leg is fitted with an adjustable glide.

EDGE TYPES



C

3mm
PVC



F

8mm
Wood

PEADIQUE STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
PDQ-_0022-29	22	29
PDQ-_0027-36	27	36
PDQ-_0032-42	32	42



29" H



36" H



42" H



Peadique is available in many standard oak and maple edge finishes and high-pressure laminate options. Powder coat selection is needed for base. Specify finish choices separately.

PEADIQUE



PDQ-C0032-42

Pairings...

Peadique is a pretty classic café-style table. Take this into consideration when selecting seating to pair with it. Slide, Romak and Bella shell seating works well. Classic stools like Carlo, Toadstool and Push-pop are also excellent companions.



Above: Full Time 30° curved ottoman with curved Cirrus tables and Bella stools (background). Peadique tables clustered with Carlo stools (foreground).

ORBIT



O22-G0036-42

EDGE TYPES



C
3mm
PVC



E**
3mm
Wood

**Square tops only



G
5/8"
Wood



F
8mm
Wood


FLIP TOP



Flip Top option allows table top to be flipped for ease in moving and storage.



O22-C3636-29



Wire management model has 4" dia column and a step-up place beneath the worksurface. Cable exits beneath the disc base.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



Orbit tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.

ORBIT

- Low profile powder coated steel disc base is fitted with mini leveling glides, sits flat on the floor and provides the stability and mobility required for a freestanding table. 3" and 6" column diameters. **Note: 32" disc base does not include leveling glides. Leveling glides for this base are available with an upcharge.*
- Table tops are 1-1/4" thick, three-ply particleboard with .050" high-pressure laminate top surface and .030" phenolic backer. Edge types include 3mm PVC, 5/8" hardwood bullnose and 3mm wood edge is available on square tops only.
- Tables available in 29", 36" and 42" heights.
- Square tables available with radiused corners.
- Flip top option available.


ORBIT SINGLE COLUMN BASE ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
O22-_0036-	36	29/36/42
O27-_0042-	42	29/36/42
O27-_0048-	48	29/36/42
O27-_0054-	54	29/36/42
O32-_0060-*	60	29/36/42

ORBIT SINGLE COLUMN BASE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
O22-_3636-	36	36	29/36/42
O27-_4242-	42	42	29/36/42
O27-_4848-	48	48	29/36/42
O27-_5454-	54	54	29/36/42
O32-_6060-*	60	60	29/36/42

**Note: 32" disc base does not include leveling glides. Leveling glides for this base are available with an upcharge.*



Above: Deuce high back seating with Orbit tables. Right: Duo Lounge and Duo Connector seating with Orbit table and Fulltime Ottomans.

ORBIT



O17-C2448-36

ORBIT Multi Column Base Tables

- Low profile powder coated steel disc base is fitted with mini leveling glides, sits flat on the floor and provides the stability and mobility required for a freestanding table. 3" and 6" column diameters. **Note: 32" disc base does not include leveling glides. Leveling glides for this base are available with an upcharge.*
- Rectangular, Boat and Racetrack tops with high pressure laminate worksurface and several edge profiles available.
- Tables available in 29", 36" and 42" heights.

EDGE TYPES



**Rectangular and Boat tops only

Notes: Boat Shaped table model numbers are indicated with a "BT" following the edge designation: O27-CBT36/4860-29 and will be 6" to 12" deeper in the middle than stated in the chart. See pricing for list of standard models. Racetrack table model numbers are indicated with an "RT" following the edge designation: O27-CRT4860-29

** Tables smaller than O22-3660 only available in Rectangular shape
Tables 120" width and greater require 3 bases.

ORBIT MULTI COLUMN BASES STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
O17- _2448-	24	48	29/36/42
O17- _2460-	24	60	29/36/42
O17- _2472-	24	72	29/36/42
O22- _3036-	30	36	29/36/42
O22- _3048-	30	48	29/36/42
O22- _3060-	30	60	29/36/42
O22- _3072-	30	72	29/36/42
O22- _3660-*	36	60	29/36/42
O22- _3672-	36	72	29/36/42
O22- _3684-	36	84	29/36/42
O22- _3696-	36	96	29/36/42
O22- _36120-	36	120	29/36/42
O27- _4860-	48	60	29/36/42
O27- _4872-	48	72	29/36/42
O27- _4884-	48	84	29/36/42
O27- _4896-	48	96	29/36/42
O27- _48120-	48	120	29/36/42
O27- _48144-	48	144	29/36/42
O32- _6072-*	60	72	29/36/42
O32- _6084-*	60	84	29/36/42
O32- _6096-*	60	96	29/36/42
O32- _60120-*	60	120	29/36/42
O32- _60144-*	60	144	29/36/42




Above: Orbit Lightbulb tables with toadstool seating in a student commons area.

ORBIT "D" and Lightbulb Multi Column Base Tables

- Lightbulb tables utilize two columns with different sized disc bases.
- D-shape, and "lightbulb" tops with high pressure laminate worksurface and 3mm PVC edgeband.

EDGE TYPES



Wire management model has 4" dia column and a step-up place beneath the worksurface. Cable exits beneath the disc base.



ORBIT 22" AND 27" DISC BASES "LIGHTBULB" STANDARD SIZES

MODEL	DEPTH"	WIDTH"	DIA"	HEIGHT"
O22-C36/4872B-	36	72	48	29/36/42
O22-C36/4884B-	36	84	48	29/36/42
O22-C36/4896B-	36	96	48	29/36/42



ORBIT "D-SHAPE" STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
O22-C3660D-	36	60	29/36/42
O22-C3672D-	36	72	29/36/42
O22-C3684D-	36	84	29/36/42
O27-C4260D-	42	60	29/36/42
O27-C4272D-	42	72	29/36/42
O27-C4284D-	42	84	29/36/42
O27-C4860D-	48	60	29/36/42
O27-C4872D-	48	72	29/36/42
O27-C4884D-	48	84	29/36/42

DERBY T-BASE



DT26-C3060-29

DERBY RECTANGULAR T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DT20-_2436-	24	36	29
DT20-_2448-	24	48	29
DT20-_2460-	24	60	29
DT20-_2472-	24	72	29
DT26-_3036-	30	36	29
DT26-_3060-	30	60	29
DT26-_3072-	30	72	29
DT26-_3648-	30	48	29
DT26-_3660-	36	60	29
DT26-_3672-	36	72	29



DERBY BEANIE T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DT26-_3060BN-	60	60	29



DERBY SPROCKET T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
D3T22-_6060S-	60	60	29



DERBY FLAIR T-BASE STANDARD SIZES

MODEL	DEPTH"	DEPTH"	HEIGHT"
DT26-_3060FL-	36	60	29

DERBY T-Base Tables

- Cast aluminum base has 2-1/4" diameter column with horizontal cast aluminum base and steel mounting plate.
- Can be specified to be adjustable height via a spring clip mechanism, range is 9". (26-35"H is standard range)
- Tops are 1-1/4" thick, three-ply engineered wood construction with .050" high pressure laminate tops and a phenolic backer sheet.
- Optional Flip top mechanism: Two-part steel mechanism is joined via a pivot system.
- Optional casters available
- Leveler extensions available

EDGE TYPES



C
3mm
PVC



J
5/8" Bevel
Wood



G
5/8"
Wood



L
1-1/4" Bullnose
Wood



E**
3mm
Wood



F
8mm
Wood

**Rectangular and Boat tops only

FLIP TOP



CASTERS



Derby tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.



Y-Base



Boat



Racetrack

Do we make larger tables and conference tables with the Derby base? Yes we do.

Many more standard sizes and conference table shapes, like the Y-base tables, Boat-shaped tables and Racetrack-shaped tables, are listed in our Derby Pricer sheet that is available on the mediatechnologies website.

DERBY X-BASE

DERBY X-Base Tables

- Derby X-Base leg frames offer classic styling in a great new look. Each base features a 13-gauge, 2.25" diameter single column and cast aluminum feet. Bases are all supplied with 1" diameter levelers.
- 4-post models available with perforated metal panels in base
- Wire management option available
- Flip Top option available on many models. Contact us for details.

EDGE TYPES



C
3mm
PVC



J
5/8" Bevel
Wood



G
5/8"
Wood



L
1-1/4" Bullnose
Wood



E
3mm
Wood



F
8mm
Wood

**Square tops only

CASTERS



WIRE MANAGEMENT
BASE OPTION



FLIP TOP

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



D4X38-F0060-29
NOT Panel Base



D4XPB38-F0060-29
Panel Base



DX33-C0042-29


DERBY X-BASE ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
DX26-_0036-	36	29/36/42
DX33-_0042-	42	29/36/42
D4X38-_0048-	48	29/36/42
D4X38-_0060-	60	29/36/42
D4XPB38-_0048-	48	29/36/42
D4XPB38-_0060-	60	29/36/42



DERBY X-BASE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DX33-_3636-	36	36	29
DX38-_4242-	42	42	29
D4X38-_4848-	48	48	29
D4X38-_6060-	60	60	29
D4XPB38-_4848-	48	48	29
D4XPB38-_6060-	60	60	29



Above: Derby x-base table with RoJon. Center: Derby Sprocket table. Right: Derby x-base table with Engage Jr. and Shirley



Above: Derby t-base wheelbarrow tables (2 casters). Below: Stance mobile x-base and t-base tables with mobile Slide chairs.



STANCE T-BASE & X-BASE

STANCE T-Base & X-Base Tables

- Table tops are 1-1/4" thick, three-ply particleboard core, with .050" high-pressure laminate top surface and a .030" phenolic backer.
- T-Base has rigid bolted aluminum column, die cast aluminum base. Adjustable Leveler: 3/8-16" x 3/4" long shank.
- For X-Base: Rigid bolted aluminum column, die cast aluminum base. Fabricated steel mounting plate. Adjustable levelers.
- Flip Top option available on many models. Contact us for details.

EDGE TYPES



**Square and rectangular tops only

FLIP TOP



CASTERS



ST20-E2460-29



Stance tables are available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



STANCE T-BASE SPROCKET STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
S3T22-_6060S-	60	60	29/36/42



STANCE X-BASE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SX26-_3636-	36	36	29
SX36-_4242-	42	42	29
SX36-_4848-	48	48	29



STANCE X-BASE ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
SX26-_0036-	36	29
SX36-_0042-	42	29
SX36-_0048-	48	29

STANCE T-BASE RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
ST20-_2436-	24	36	29
ST20-_2448-	24	48	29
ST20-_2460-	24	60	29
ST20-_2472-	24	72	29
ST20-_2484-	24	84	29
ST20-_2496-	24	96	29
ST26-_3036-	30	36	29
ST26-_3048-	30	48	29
ST26-_3060-	30	60	29
ST26-_3072-	30	72	29
ST26-_3084-	30	84	29
ST26-_3096-	30	96	29
ST26-_3648-	36	48	29
ST26-_3660-	36	60	29
ST26-_3672-	36	72	29



Rectangle



Racetrack



Boat

Do we make larger tables and conference tables with the Stance base? Yes we do.

Many more standard sizes and conference table shapes, like the TT-base tables, Boat-and Racetrack-shaped tables, are listed in our Stance Pricer sheet that is available on the mediatechnologies website.

NIMBLE T-BASE & X-BASE



NT26-C3060-29



Nimble tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.

NIMBLE X-Base Tables

- Nimble X-Base leg frames offer classic styling in a great new look. Each base features a 13-gauge, 2.25" diameter single column and cast aluminum feet. Bases are all supplied with 1" diameter levelers.
- 4-post models available with perforated metal panels in base
- Wire management base option available.
- Flip Top option available on many models. Contact us for details.

EDGE TYPES



**Square tops only

CASTERS



FLIP TOP (-FT Suffix)

WIRE MANAGEMENT BASE OPTION



NX33-C4242-29



N4XPB38-F0060-29
Panel Base

NIMBLE X-BASE SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
NX33-3636-	36	36	29
NX38-4242-	42	42	29
N4X38-4848-	48	48	29
N4X38-6060-	60	60	29
N4XPB38-4848-	48	48	29
N4XPB38-6060-	60	60	29

NIMBLE X-BASE ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
NX26-0036-	36	29
NX33-0042-	42	29
N4X38-0048-	48	29
N4X38-0060-	60	29
N4XPB38-0048-	48	29
N4XPB38-0060-	60	29

NIMBLE T-Base Tables

- Nimble Cast aluminum base has 2-1/4" diameter column with horizontal cast aluminum base and fabricated steel mounting plate.
- Tops are 1-1/4" thick, three-ply engineered wood construction with .050" high pressure laminate tops and a phenolic backer sheet.
- Optional Flip top mechanism: Two-part steel mechanism is joined via a pivot system.
- Casters available

EDGE TYPES



C
3mm
PVC



J
5/8" Bevel
Wood



G
5/8"
Wood



L
1-1/4" Bullnose
Wood



E**
3mm
Wood




F
8mm
Wood

**Rectangular and Boat tops only

CASTERS



FLIP TOP



Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes

RALLY T-Base & X-Base Tables

- Table tops are 1-1/4" thick, particleboard construction, with .050" high-pressure laminate top surface and a .030" phenolic backer.
- Square corners on banded tops have a 1/8" radius; Rounded corners on all tops have a 2" radius.
- T-Base - Single Column and Double Column: 14 gauge, 2" diameter column and 1-3/8" OD 13 gauge base.
- X-Base: 16 gauge, 3" diameter column and 1-3/8" OD 13 gauge base.
- Folding base mechanism: Nylon injection molded body with an extruded aluminum mechanism is bolted to leg frame. Mechanism is attached to the underside of worksurface.
- Flip-top mechanism: Two-part steel mechanism is joined via a pivot system. Upper component attaches to underside of worksurface. Flip Top option available on many models. Contact us for details.
- All table bases are supplied with 1-3/8" diameter levelers. Optional casters available

RALLY T-BASE & X-BASE



RT22-C2460-29

EDGE TYPES



C
3mm
PVC



J
5/8" Bevel
Wood



G
5/8"
Wood



L
1-1/4" Bullnose
Wood



E**
3mm
Wood



F
8mm
Wood

**Rectangular and Boat tops only



RTT36-C4884-29

RALLY T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RECTANGULAR SIZES			
RT22-_2436-	24	36	29/36/42
RT22-_2448-	24	48	29/36/42
RT22-_2460-	24	60	29/36/42
RT22-_2472-	24	72	29/36/42
RT22-_2484-	24	84	29/36/42
RT22-_2496-	24	96	29/36/42
RTT36-_4860-	48	60	29/36/42
RTT36-_4872-	48	72	29/36/42
RTT36-_4884-	48	84	29/36/42
RTT36-_4896-	48	96	29/36/42
RTT36-_48120-	48	120	29/36/42
RTT36-_48144-	48	144	29/36/42

ROUND SIZES

MODEL	DIAMETER	HEIGHT
RTT32-_0054	54	29
RTT32-_0060	60	29

FOLDING BASE (T-BASE)



CASTERS



RTT32-C0060-29-4C

FLIP TOP OPTIONS (-FT Suffix)



Rally tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.



RALLY SQUARE X-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RX26-_3030-	30	30	29/36/42
RX32-_3636-	36	36	29/36/42
RX38-_4242-	42	42	29/36/42



RALLY ROUND X-BASE STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
RX26-_0030-	30	29/36/42
RX26-_0036-	36	29/36/42
RX32-_0042-	42	29/36/42
RX38-_0048-	48	29/36/42

MILESTONE T-BASE





MT26-C3060-29

MILESTONE T-Base Tables

- Milestone T-Base leg frames feature a 13-gauge, 2" diameter powder coated tubular steel column and mainbar and 11-gauge stamped steel mounting plate.
- Mainbar is fitted with two adjustable levelling glides. Twin wheel locking casters are **optional**.
- Tops are 1-1/4" thick, three-ply engineered wood construction with .050" high pressure laminate tops and a phenolic backer sheet.
- Flip Top and Folding Base option available. Contact us for details.

EDGE PROFILES



CORNERS



CASTERS



FLIP TOP (-FT Suffix)



Allows table top to be flipped for ease in moving and storage.

MILESTONE T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RECTANGULAR SIZES			
MT22-_2436-	24	36	29/36/42
MT22-_2448-	24	48	29/36/42
MT22-_2460-	24	60	29/36/42
MT22-_2472-	24	72	29/36/42
MT22-_2484-	24	96	29/36/42
MT22-_2496-	30	36	29/36/42
MT26-_3036-	30	36	29/36/42
MT26-_3048-	30	48	29/36/42
MT26-_3060-	30	60	29/36/42
MT26-_3072-	30	72	29/36/42
MT26-_3084-	36	84	29/36/42
MT26-_3648-	36	48	29/36/42
MT26-_3660-	36	60	29/36/42
MT26-_3672-	36	72	29/36/42
MT26-_3684-	36	84	29/36/42
MT26-_3696-	36	96	29/36/42

ROUND SIZES

MODEL	DIAMETER	HEIGHT
MTT32-_0054-	54"	29
MTT32-_0060-	60"	29

Notes: Boat Shaped table model numbers are indicated with a "BT" following the edge designation: MTT32-CBT36/48/96-29 and will be 6" to 12" deeper in the middle than stated in the chart. See pricer for list of standard models. Racetrack table model numbers are indicated with an "RT" following the edge designation: MTT32-CRT48/96-29

Tables with depth that is less than 36" only available in Rectangular shape

Tables 48" deep and greater require a TT Base.

Tables 120" width and greater require 3 T- or TT-bases.



Racetrack



Boat



Milestone tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.

MILESTONE TRAP TOP STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MT22-_2448TRAP	24	48	29/36/42
MT22-_3060TRAP	30	60	29/36/42
MT22-_3072TRAP	30	72	29/36/42
MT22-_3672TRAP	36	72	29/36/42



MILESTONE BEANIE T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MT26-_3060BN	30	60	29/36/42



MILESTONE FLAIR T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MT26-_3060FL-	36	60	29/36/42



MILESTONE SPROCKET T-BASE STANDARD SIZES

MODEL	WIDTH"	DEPTH"	HEIGHT"
M3T22-_6060S-	60	60	29/36/42
* RECEIVES (3) T BASES			

MILESTONE X-Base Tables

- Milestone T-Base leg frames feature a 13-gauge, 2" diameter powder coated tubular steel column and mainbar and 11-gauge stamped steel mounting plate.
- Mainbar is fitted with two adjustable levelling glides. Twin wheel locking casters are **optional**.
- Tops are 1-1/4" thick, three-ply engineered wood construction with .050" high pressure laminate tops and a phenolic backer sheet.
- Flip Top and Folding Base option available. Contact us for details.

EDGE PROFILES



C 3mm
PVC

E 3mm
Wood



G 5/8"
Wood

L 1-1/4"
Wood

CORNERS



Squared
Corners
3mm **PVC**

Squared Corners
3mm **Wood**



Radiused
Corners
3mm **PVC**

FLIP TOP



Allows table top to be flipped for ease in moving and storage.

CASTERS



FOLDING BASE (T-BASE)



4X-Base

MX26-C0030-29

MILESTONE X-BASE SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
MX26- _3636-	36	36	29/36/42
MX26- _4242-	42	42	29/36/42
M4X36- _4848-	48*	48	29/36/42
M4X36- _5454-	54*	54	29/36/42
M4X36- _6060-	60*	60	29/36/42

MILESTONE X-BASE ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
MX26- _0036-	36	29/36/42
MX26- _0042-	42	29/36/42
M4X36- _0048-	48*	29/36/42
M4X36- _0054-	54*	29/36/42
M4X36- _0060-	60*	29/36/42

Above: Platform backless stools paired with curved Duo Café seating and Milestone x-base cafe tables.



ECLIPSE



ET22-C2460-29

ECLIPSE RECTANGULAR T-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
ET22-_2436-	24	36	29/36/42
ET22-_2442-	24	42	29/36/42
ET22-_2448-	24	48	29/36/42
ET22-_2460-	24	60	29/36/42
ET22-_2472-	24	72	29/36/42
ET26-_3036-	30	36	29/36/42
ET26-_3042-	30	42	29/36/42
ET26-_3048-	30	48	29/36/42
ET26-_3060-	30	60	29/36/42
ET26-_3072-	30	72	29/36/42
ET26-_3642-	36	42	29/36/42
ET26-_3648-	36	48	29/36/42
ET26-_3660-	36	60	29/36/42
ET26-_3672-	36	72	29/36/42



ECLIPSE FLAIR T-BASE STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
ET26-_3060FL-	36	60	29/36/42



ECLIPSE BEANIE T-BASE STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
ET26-_3060BN-	42	42	29/36/42

ECLIPSE T-Base & X-Base Tables

- Top is 1-1/4" thick, three ply engineered wood core with a .050" high pressure laminate worksurface and a .030" phenolic backer.
- Two 22" wide T Base legs. Each leg assembly includes a 2" diameter, 14 gauge, powder coated vertical steel tube, which is welded to a steel mounting plate and to a horizontal main bar. Main bar has a slight angle on outside of leg and the inside has a rounded shape to mimic the vertical post. The out of the mainbar receives a 1/4" thick round cap that is through mounted via mainbar. Under the main bar is a welded 3/4" diameter steel post equipped with a leveling glide.
- Available with optional casters.
- Folding base and Flip-top options available.

EDGE TYPES



C
3mm
PVC



E**
3mm
Wood

**Square and rectangular tops only



F
5/8"
Wood



J
5/8" Bevel
Wood

CORNERS



Squared
Corners



Radiused
Corners

CASTERS



FOLDING BASE



FLIP TOP



Eclipse tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is needed for base. Specify finish choices separately.



EX28-C0042-29

ECLIPSE ROUND X-BASE STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
EX28-_0042-	42	29/36/42
E4X36-_0048-	48	29/36/42
E4X36-_0060-	60	29/36/42



ECLIPSE SQUARE X-BASE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
EX28-_4242-	42	42	29/36/42
E4X36-_4848-	48	48	29/36/42
E4X36-_6060-	60	60	29/36/42

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com

OTZ


- Exceptionally solid 12-gauge steel legs flare out at the bottom for a very stable footprint.
- One leg per frame provides a cable management channel to the floor. Legs are fitted with adjustable levelling glides.
- 12-gauge steel rings tie legs together and form a mount for the optional wood cylinder.
- Top is 1-1/4" thick, three ply engineered wood core with a .050" high pressure laminate worksurface and a .030" phenolic backer.
- Optional Wood Cylinder: Approx 8" diam. x 15-1/2"H plywood cylinder fits between the underside of the mounting plate and the steel hoop and acts as a concealed passage for cabling.
- Cylinder is available in a variety of wood veneer finishes.



Z28-C6060CL-29

Shown with optional Jolt connectivity

EDGE PROFILES



**Square and rectangular tops only

OPTIONS




CYLINDER BASE


OTZ CLOVER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
Z25-_4848CL-	48	48	29
Z28-_6060CL-	60	60	29
with Cylinder Base			
ZC25-_4848CL-	48	48	29
ZC28-_6060CL-	60	60	29

WIRE MANAGEMENT



80mm Wire Grommet



Cable routed through hidden channel in table leg



Otz tops are available in high-pressure laminate and edges are available in PVC and in wood. Powder coat selection is for base. Specify finish choices separately.



OTZ SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
Z25-_4242-	42	42	29
Z25-_4848-	48	48	29
Z28-_6060-	60	60	29
with Cylinder Base			
ZC25-_4242-	42	42	29
ZC25-_4848-	48	48	29
ZC28-_6060-	60	60	29

OTZ ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
Z25-_0042-	42	29
Z25-_0048-	48	29
Z28-_0060-	60	29
with Cylinder Base		
ZC25-_0042-	42	29
ZC25-_0048-	48	29
ZC28-_0060-	60	29



Rectangle



Boat



Racetrack

Do we make larger tables and conference tables with the Otz base? Yes we do.

Many more standard sizes and conference table shapes, like the Rectilinear tables, Boat-and Racetrack-shaped tables, are listed in our Otz Pricer sheet that is available on the mediatechnologies website.



ROCKFORD



RF-C4565RL

ROCKFORD

- Rigid 14-gauge steel adjustable legs, Adjustable from 24" to 32" heights in 1" increments.
- Table tops are 1-1/4" thick, with a 1-1/8" thick, three-ply particleboard core with .050 high-pressure laminate top and a .030" phenolic backer. Edges are 3mm PVC.
- Each leg is composed of an outer steel tube and an inner steel tube that can slide within it and (2) two adjustment screws.
- Each leg is provided with a leveling glide at the bottom. Casters are optional (2, 4, 5 or 6).

EDGE TYPES




C
3mm
PVC edges

CASTERS



Rockford tops are available in high-pressure laminate and edges are available in PVC. Powder coat selection or selections is needed for base. Specify finish choices separately.



Raetsel

ROCKFORD RAETSEL STANDARD SIZE

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_4565RL-	45	65	24-32



Pairings...

Rockford is one of our most versatile tables. As you can see, we offer **many** different table top shapes. Several of these tops nest to create larger work group areas and if they're mobile they easily return back to smaller groups. Pair with shell chairs and stools. Mobile? even better.



Flairs nested between two Beanie tops creates a larger work area for groups!



Round

ROCKFORD ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
RF-_0042-	42	24-32
RF-_0048-	48	24-32
RF-_0060-	60	24-32



Flair

ROCKFORD FLAIR STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3060FL-	30	60	24-32



Square

ROCKFORD SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_4242-	42	42	24-32
RF-_4848-	48	48	24-32
RF-_6060-	60	60	24-32



Beanie

ROCKFORD BEANIE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3060BN-	30	60	24-32

ROCKFORD



ROCKFORD SECIL STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3772SC-	37	72	24-32



Secil



ROCKFORD DIAMOND STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3042DM-	30	42	24-32



Diamond



ROCKFORD CRESCENT STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3672CR-	36	72	24-32



Crescent



ROCKFORD TRAPEZOID STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_30TRP-	30	30	24-32



Trapezoid



ROCKFORD QTR ROUND STANDARD SIZES

MODEL	DIAMETER	HEIGHT"
RF-_36QR -	24/36	24-32



Quarter Round



ROCKFORD PICKLE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3660G-	36	60	24-32



Pickle



ROCKFORD CLOVER STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_4848CL-	48	48	24-32
RF-_6060CL-	60	60	24-32



Clover



ROCKFORD SPROCKET STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_6060S-	60	60	24-32



Sprocket



ROCKFORD "D" STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
RF-_3672D-	36	72	24-32
RF-_4872D-	48	72	24-32
RF-_6072D-	60	72	24-32



D

ROCKFORD CAPABILITIES



Powder coat combinations

- Standard leg finishes are (Top/Bottom)

Silver/Silver

Black/Black

Black/Silver

- Powder coat for legs is available in other colors (may incur an upcharge). Indicate uniform color or top/bottom colors.

Casters

- 50mm casters black casters
- 2 locking casters on one side for a wheel-barrow-style mobility
- 4 locking casters
- 2 or 3 casters on the Rockford Pick



Rockford

What does a VW Beetle have to do with Rockford? Well, I live in Rockford, MI. I drive a Beetle like this one from Rockford to Shelby almost every day. Rain, Snow or Shine. If you see me on the road, don't **bug** me. I'll be "in the zone".



Below: Nested **Rockford Crescents**. Middle: **Rockford Mobile Pickle**, and **Slide** seating. Right: **Rockford Flair** and **Bella** seating.
Bottom Left: Nested **Rockford Diamonds**. Bottom Right: **Rockford Raetsels**, and **Blox** seating.



ROCKFORD PICK

- Rigid 14-gauge steel adjustable legs, Adjustable from 24" to 32" heights in 1" increments.
- Each leg is composed of an outer steel tube and an inner steel tube that can slide within it and (2) two adjustment screws.
- Each leg is provided with a leveling glide at the bottom. Casters are optional (2 or 3).
- Table tops are 1-1/4" thick, with a 1-1/8" thick, three-ply particleboard core with .050 high-pressure laminate top and a .030" phenolic backer. Edges are 3mm PVC.
- 2 top sizes - 27" x 28" Single user and 40" x 42" Multi-user

EDGE TYPES



CORNERS



CASTERS



Rockford tops are available in high-pressure laminate and edges are available in PVC. Powder coat selection or selections is needed for base. Specify finish choices separately.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes

ROCKFORD PICK



RFP-C4042

ROCKFORD PICK STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
SINGLE USER			
RFP-_2728	27	28	24-32 ADJ
MULTIPLE USER			
RFP-_4042	40	42	24-32 ADJ

Below: Rockford Pick tables "organized" in a caterpillar configuration.

Bottom Right: 6 Rockford Pick tables organized in a pinwheel configuration.




Pairings...



The Multi-user-size Rockford Pick nestles nicely inside of a Cheesewall to create a cozy, semi-private space to get some work done. Mmmm...cheese.



VECTOR



VECTOR

- 7/8" thick, three-ply particleboard core with a .050" high pressure laminate top surface and a .030" phenolic backer with 3mm PVC edgebanding.
- Corners for rectilinear tops: square corners on banded tops have a 1/8" radius. Top is mounted directly to leg frames and stretchers below.
- Fully welded 14 gauge powder coated steel end frames are connected by a 14 gauge tubular steel stretcher. Legs are fitted with adjustable glides.
- Optional casters available.
- Optional **convertible** Modesty/Privacy panel can be used in either position.

C
3mm
PVC

Squared
Corners

Radiused
Corners

CASTERS

MODESTY PANELS

VECTOR RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
VT- 2436-	24	36	29
VT- 2442-	24	42	29
VT- 2448-	24	48	29
VT- 2460-	24	60	29
VT- 2472-	24	72	29
VT- 3036-	30	36	29
VT- 3042-	30	42	29
VT- 3048-	30	48	29
VT- 3060-	30	60	29
VT- 3072-	30	72	29
VT- 3642-	36	42	29
VT- 3648-	36	48	29
VT- 3660-	36	60	29
VT- 3672-	36	72	29



VECTOR SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
VT- 4242-	42	42	29
VT- 4848-	48	48	29



VECTOR ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
VT- 0042-	42	29
VT- 0048-	48	29



Shown with panel in
Privacy Position



Shown with panel in
Modesty Position

Visit the mediatechnologies website for:

- finish, laminate and powder coat options

mediatechnologies.com/resources/finishes



Vector tops are available in high-pressure laminate and edges are available in PVC. Powder coat selection is needed for base. Specify finish choices separately.


Below: **Vector** tables arranged in a classroom setting.



GTX

- 14-gauge powder coated steel leg frames bolt into a double steel keel assembly for a rigid base.
- 1-1/4" thick top "floats" on 3/4" spacers bolted through the steel frame assembly into the underside of the work surface.
- High pressure laminate work surface.
- Legs fitted with adjustable leveling glides.
- Optional casters available

EDGE TYPES



CASTERS



GTX-C2460-29

**Square and rectangular tops only

GTX RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GTX- _2448-	24	48	29
GTX- _2460-	24	60	29
GTX- _2472-	24	72	29
GTX- _3048-	30	48	29
GTX- _3060-	30	60	29
GTX- _3072-	30	72	29
GTX- _3660-	36	60	29
GTX- _3672-	36	72	29

GTX SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GTX- _4242-	42	42	29
GTX- _4848-	48	48	29
GTX- _6060-	60	60	29

GTX ROUND STANDARD SIZES

MODEL	DIAMETER	HEIGHT"
GTX- _0042-	42	29
GTX- _0048-	48	29
GTX- _0060-	60	29



Above: GTX tables (shown with optional power) and surrounded by **Engage** mobile seating.



GTX tables are available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

GTX COMMUNITY



GTXC-C42120-36

GTX COMMUNITY TABLE

- 4 sets of 14-gauge powder coated steel leg frames bolt into a double steel keel assembly for a rigid base.
- 1-1/4" thick top "floats" on 3/4" spacers bolted through the steel frame assembly into the underside of the work surface.
- High pressure laminate work surface.
- Legs fitted with adjustable leveling glides.
- Optional casters available

GTX COMMUNITY STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GTXC- _4296-	42	96	36/42
GTXC- _42120-	42	120	36/42
GTXC- _4896-	48	96	36/42
GTXC- _48120-	48	120	36/42

STEEL SCIENCE TABLES

STEEL SCIENCE (SST)

- 14-gauge powder coated square steel tube legs bolt to the 1"x 2" steel apron frame, which is a single welded assembly.
- Legs are fitted with adjustable glides.
- Optional casters available
- Optional adjustable height legs
- .050" **chemical resistant HPL top**. Designed for use in laboratory casework and counters, hospital tabletops, photographic darkrooms, nurses' stations, mad scientists' labs and physician examining rooms.

EDGE TYPES



C
3mm
PVC edges



E
Epoxy Top
No edgeband



CL
Chemical
Resistant HPL



SST-C2460-29



SST-3060-E-29
Epoxy resin top table



SST-C0042-29

SST RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SST-_2436-	24	36	29/36/42
SST-_2442-	24	42	29/36/42
SST-_2448-	24	48	29/36/42
SST-_2460-	24	60	29/36/42
SST-_2472-	24	72	29/36/42
SST-_2484-	24	84	29/36/42
SST-_2496-	24	96	29/36/42
SST-_3036-	30	36	29/36/42
SST-_3042-	30	42	29/36/42
SST-_3048-	30	48	29/36/42
SST-_3060-	30	60	29/36/42
SST-_3072-	30	72	29/36/42
SST-_3084-	30	84	29/36/42
SST-_3096-	30	96	29/36/42

SST RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SST-_3660-	36	60	29/36/42
SST-_3672-	36	72	29/36/42
SST-_3684-	36	84	29/36/42
SST-_3696-	36	96	29/36/42

SST SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SST-_4242-	42	42	29/36/42
SST-_4848-	48	48	29/36/42
SST-_6060-	60	60	29/36/42

SST ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
SST-_0042-	42	29/36/42
SST-_0048-	48	29/36/42
SST-_0060-	60	29/36/42

WOOD SCIENCE (ST)

- Legs are 2-1/4" square with radiused edges. They are attached to the apron frame through a corner bracket using two 5/16" bolts.
- Available in 30" and 36" heights.
- .050" **chemical resistant HPL top**. Designed for use in laboratory casework and counters, hospital tabletops, photographic darkrooms, nurses' stations, mad scientists' labs and physician examining rooms.
- Butcher block top available.
- Optional leg protectors.
- Book pocket apron models.

EDGE TYPES



C
3mm
PVC edges
"E"
Epoxy Top
No edgeband



CL
Chemical
Resistant



STB-3060-E-36
Book Pocket with
Epoxy resin top table



ST-2460-C-30

WOOD SCIENCE POCKET STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
STB-2454-_-	24	54	30/36
STB-2460-_-	24	60	30/36
STB-3060-_-	30	60	30/36

WOOD SCIENCE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
ST-2448-_-	24	48	30/36
ST-2454-_-	24	54	30/36
ST-2460-_-	24	60	30/36
ST-2472-_-	24	72	30/36
ST-3060-_-	30	60	30/36
ST-3072-_-	30	72	30/36

MALIBU

MALIBU

- Tops are 1-1/4" thick, three ply engineered wood core with .050" high pressure laminate (HPL) and a phenolic backer sheet. The corners of the top are rounded with a 3" radius.
- The table top **"Floats"** above the frame.
- Tables use two end frame assemblies. Legs are 2" diameter 14 gauge powder coated steel tubing and are welded to a "wishbone" powder coated steel end frame configuration. End frames are either bolted directly together or through the use of a keel.
- Legs are fitted with adjustable glides.
- Optional casters available

CORNERS

CASTERS



Squared Corners



Radiused Corners



EDGE TYPES



C

3mm
PVC



F

8mm
Wood



MB

1.5" 60° Bevel
Hardwood

**Square and rectangular tops only



MALIBU RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MBS- 2436-	24	36	29
MBS- 2442-	24	42	29
MBS- 2448-	24	48	29
MBS- 2460-	24	60	29
MBS- 2472-	24	72	29
MBS- 3036-	30	36	29
MBS- 3042-	30	42	29
MBS- 3048-	30	48	29
MBS- 3060-	30	60	29
MBS- 3072-	30	72	29
MBS- 3642-	36	42	29
MBS- 3648-	36	48	29
MBS- 3660-	36	60	29
MBS- 3672-	36	72	29

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



MBS-MB4242-29

MALIBU SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MBS- _4242-	42	42	29
MBS- _4848-	48	48	29



Malibu tables are available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

MALIBU ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
MBS- _0042-	42	29
MBS- _0048-	48	29



Right: Malibu tables with Bella chairs and Full Time Curve ottomans in the background.



Above: WORK+BOX "Clover" table with special epoxy top.

Left: WORK+BOX "Clover" table with mobile Carlo stools.

Bottom: WORK+BOX "Clover" tables elements casegoods.

Visit the mediatechnologies website for:


- laminate and PVC options

mediatechnologies.com/resources/finishes



WORK+BOX ISLAND

- Our Clover table created so much excitement, we decided to expand the possibilities for you. Plus, we thought we would let you put together your own table....
- Choose from four shapes and multiple sizes of worksurface. All worksurfaces are 1-1/4" high pressure laminate with PVC edge-banding.
- Choose from four 2-sided mobile cabinet configurations, each available in 29", 36" and 42" heights.
- Locking casters are **standard**.
- Cabinet available in high pressure laminate or melamine.



WORK+BOX Island is available in melamine and high-pressure laminate. Laminate options require a PVC selection. Specify your laminate and PVC choices separately.

WORK+BOX ISLAND

The Table formerly known as Clover



TOP: WBXI-C6060CL
CABINET: WBXI-CS3D3029-TT-MOB

Is this an insanely cool
Makerspace item?
...I may have heard that somewhere.

1. Pick your Top

Choose a high pressure laminate and make a PVC selection for your edgeband.



2. Pick your Cabinet

Choose a high pressure laminate or a melamine for your cabinet finish and make a PVC selection for your edgeband.



If your selection has doors or drawers, you will need to make a pull and a hinge selection (for doors).

3. Pick your Options

Power? Other connectivity? go to our **Connect** brochure downloadable from our website.




How about a hook for back packs? Look on the **Table Options** pages.

4. Pick your Seating

Head back to the previous sections of this book that contains our fabulous seating options or you can go to our website and see what's cooking there.



www.mediatechnologies.com/products/seating



WORK+BOX ISLAND TOP STANDARD SIZES

MODEL	DEPTH"	WIDTH"	THICK"
CLOVER SHAPE			
WBXI-C4848CL	48	48	1.25
WBXI-C5454CL	54	54	1.25
WBXI-C6060CL	60	60	1.25
ROUND			
WBXI-C0048D	48	DIA	1.25
WBXI-C0054D	54	DIA	1.25
WBXI-C0060D	60	DIA	1.25
RADIUSED SQUARE			
WBXI-C4848S	48	48	1.25
WBXI-C5454S	54	54	1.25
WBXI-C6060S	60	60	1.25
MACAROON			
WBXI-C5472MC	54	72	1.25



WORK+BOX ISLAND CABINET STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CUPBOARD STORAGE, DRAWERS & OPEN STORAGE			
WBXI-CS3D3029-__-MOB	30	30	27.75
WBXI-CS4D3036-__-MOB	30	30	34.75
WBXI-CS4D3042-__-MOB	30	30	40.75
OPEN STORAGE			
WBXI-OS3029-__-MOB	30	30	27.75
WBXI-OS3036-__-MOB	30	30	34.75
WBXI-OS3042-__-MOB	30	30	40.75
CUPBOARD STORAGE			
WBXI-CS3029-__-MOB	30	30	27.75
WBXI-CS3036-__-MOB	30	30	34.75
WBXI-CS3042-__-MOB	30	30	40.75
OPEN TOTE STORAGE-TOTES SOLD SEPARATELY			
WBXI-OT3029-__-MOB	30	30	27.75
WBXI-OT3036-__-MOB	30	30	34.75
WBXI-OT3042-__-MOB	30	30	40.75

WORK+BOX PLANK



WBXP-C4860-36-OS-TT-MOB

WORK+BOX PLANK OPEN STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXP-C4860-29-OS-__-MOB	48	60	29
WBXP-C4860-36-OS-__-MOB	48	60	36
WBXP-C4860-42-OS-__-MOB	48	60	42

*Features open storage on two opposite sides.



WORK+BOX Plank can accommodate table-top clamp-on power units.

How about a hook for back packs? Look on the **Table Options** pages.

Visit the mediatechnologies website for:

- laminate, PVC and powder coat options
mediatechnologies.com/resources/finishes

If your product includes doors, don't forget to specify which pull you desire.

Totes are not included on Tote Storage models. Totes are sold separately.


Pairings...

Reconfigurability and durability are both a big deal in Classroom and Makerspace environments. Consider some of our mobile and/or easily moveable options to pair with your WORK+BOX tables. Push Pop and Toadstool work great. So do other options like Mobile or not Mobile Carlo, Full Time ottomans and Romak, Bella, Platform and Slide.



WORK+BOX PLANK

- 2-sided mobile storage unit with spacious worksurface.
- Great for classrooms and makerspace areas
- Large rectangular 1-1/4" thick high pressure laminate worksurface with PVC edge-banding.
- Choose from three 2-sided mobile cabinet configurations, each available in 29", 36" and 42" heights. 2 sides with your choice of...
 - Open Storage with one or adjustable shelves
 - Cupboard Storage with one or two adjustable shelves
 - Open Tote Storage sized for our F1TBA or F2TBB Totes
- Locking casters are **standard**.
- Cabinet available in high pressure laminate or melamine.



WORK+BOX Plank is available in melamine and high-pressure laminate. Laminate options require a PVC selection. Specify your laminate and PVC choices separately.



WORK+BOX PLANK CUPBOARD STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXP-C4860-29-CS-__-MOB	48	60	29
WBXP-C4860-36-CS-__-MOB	48	60	36
WBXP-C4860-42-CS-__-MOB	48	60	42

*Features cupboard storage on two opposite sides.



WORK+BOX PLANK OPEN TOTE STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXP-C4860-29-OTR-__-MOB	48	60	29
WBXP-C4860-36-OTR-__-MOB	48	60	36
WBXP-C4860-42-OTR-__-MOB	48	60	42

*Features open tote storage on two opposite sides. Totes not included. Sold Separately.

WORK+BOX DOCK

Combine - Separate - Store...that is the concept.


Combine tables for larger group work. Separate tables for smaller group work. Store the tables around the perimeter, ideally beneath some beautiful **elements** or **transition** upper wall storage. *BTW, I know where you can get those.*

- Great for classrooms and makerspace areas
- D-shape 1-1/4" thick high pressure laminate worksurface with PVC edge-banding.
- Choose from three 2-sided mobile cabinet configurations, each available in 29", 36" and 42" heights. 2 sides with your choice of...
 - Open Storage with one or adjustable shelves
 - Cupboard Storage with one or two adjustable shelves
 - Open Tote Storage sized for our F1TBAor F2TBB Totes
- Locking casters are **standard**.
- Magnets align and hold "docked" units in place.
- Cabinet available in high pressure laminate or melamine.

EDGE TYPE



CASTERS



WORK+BOX Dock is available in melamine and high-pressure laminate. Laminate options require a PVC selection. Specify your laminate and PVC choices separately.



The use of these connecting magnets give the WORK+BOX docking tables the ability to be connected and separated easily without hooks or clamps (or hoses or tape or glue).



WORK+BOX Dock can accommodate table-top clamp-on power units.

How about a hook for back packs? Look on the **Table Options** pages.

1.
Click'em together



2.
Click'em apart



3.
Store'em aside



WORK+BOX DOCK



WBXD-C2760-36-OTR-TT-MOB

WORK+BOX DOCK OPEN TOTE STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXD-C2760-29-OTR-__-MOB	27	60	29
WBXD-C2760-36-OTR-__-MOB	27	60	36
WBXD-C2760-42-OTR-__-MOB	27	60	42

*Features open tote storage on one side and connecting magnets on the other. Totes not included. Sold Separately.



WORK+BOX DOCK OPEN STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXD-C2760-29-OS-__-MOB	27	60	29
WBXD-C2760-36-OS-__-MOB	27	60	36
WBXD-C2760-42-OS-__-MOB	27	60	42

*Features open storage on one side and connecting magnets on the other.



WORK+BOX DOCK CUPBOARD STORAGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WBXD-C2760-29-CS-__-MOB	27	60	29
WBXD-C2760-36-CS-__-MOB	27	60	36
WBXD-C2760-42-CS-__-MOB	27	60	42

*Features cupboard storage on one side and connecting magnets on the other.

STELLAR



STR-C3060-30

STELLAR RECTANGULAR STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
STR-_3060-30	30	60	30
STR-_3072-30	30	72	30
STR-_3660-30	36	60	30
STR-_3672-30	36	72	30
STR-_3690-30	36	90	30
STR-_4260-30	42	60	30
STR-_4272-30	42	72	30
STR-_4290-30	42	90	30
STR-_4860-30	48	60	30
STR-_4872-30	48	72	30
STR-_4890-30	48	90	30



Stellar tables are available with high-pressure laminate or epoxy tops. Legs can be stained or finished in Sprayon. Laminate options require a PVC selection. Specify your laminate, PVC and finish choices separately.



Power? Other connectivity? go to our **Connect** brochure downloadable from our website.

Visit the mediatechnologies website for: Laminate, PVC, and other finish options mediatechnologies.com/resources/finishes

Stellar Tables have wooden legs. This makes them an ideal candidate for vivid array of Sprayon finishes!

* We can match any Pantone color to help institutions brand themselves



How do I designate my choice of materials or finish in your model number scheme? I don't see it in your Model Number Charts.



1. The **Size Charts** are there to give you an idea of what **sizes** are available. If we added every material variation, the book would get pretty thick and the boss wouldn't let us print it.
2. Specific material information AND model numbers are listed on the List Price Sheet for each product. You can download it from each product's page on our website.

STELLAR

- Tops are 1-1/4" thick, three ply particle board core with .050" high pressure laminate top surface and a .030 phenolic backer. Worksurface available in all standard laminates. 1" thick black solid epoxy resin top is available for rectangular table tops.
- .050" **chemical resistant HPL top**. Designed for use in laboratory casework and counters, hospital tabletops, photographic darkrooms, nurses' stations, mad scientists' labs and physician examining rooms. Contact the factory for details.
- Wood Legs are 2-1/4" square with radiused edges. They are attached to the apron frame through a corner bracket using two 5/16" bolts.
- Aprons are 3/4" x 4", pocketed on the inside faces for attachment hardware.
- Apron Frame and Legs can be finished in any of our oak stain finishes. They are also very popular in our Sprayon finishes. See our website for finish options.

EDGE TYPES



C
3mm
PVC edges

Epoxy Top
No edgeband

OPTIONAL CASTERS



STELLAR CLOVER TOP STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
STR-_6060CLT-30	60	60	30



STELLAR SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
STR-_4242-30	42	42	30
STR-_4848-30	48	48	30



STELLAR ROUND STANDARD SIZES


MODEL	DIAMETER"	HEIGHT"
STR-_0036-30	36	30
STR-_0042-30	42	30
STR-_0048-30	48	30
STR-_0060-30	60	30

EDISON

EDISON INVENTOR TABLES

- Tops are:
 - 1-1/4" thick, three ply particle board core with .050" high pressure laminate top surface and a .030 phenolic backer. Worksurface available in all standard laminates.
 - Butcher Block top. Contact the factory for details.
 - Solid Phenolic. Contact the factory for details.
- Industrial steel frame construction available in all our powdercoat finishes, plus clear powdercoat. (Yes, clear powdercoat reveals the steel frame in all its raw beauty. It's kind of like distressed jeans - they're new but they look like they've got a few miles on them already).
- Available as an Open table or Storage table with base shelves.
- Legs fitted with heavy duty casters.
- Available with storage options

EDGE TYPES



CASTERS



Frame is steel and requires a powder coat. High pressure laminate top options require a PVC selection. Specify your laminate, PVC and powder coat choices separately.



Power? Other connectivity? go to our **Connect** brochure downloadable from our website.

OPTIONAL COMPONENTS



EDISON OPEN OR STORAGE TABLE OPTION SINGLE FACE 3-STANDARD DRAWER OPTION

MODEL	DESCRIPTION
ED-3SD	3 standard Drawers for one face of the Edison Open or Storage tables.

*ED-3SD component may be added to either EDO or EDS tables.



EDISON STORAGE TABLE OPTION SINGLE FACE STANDARD DRAWER AND CUPBOARD STORAGE

MODEL	DESCRIPTION
EDS-SDCS	Drawer and cupboard storage for one face of the Edison Storage Table

*EDS-SDCS component may be added to EDS tables only.



EDO-C4272-42

EDISON OPEN STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
EDO- 4260-	42	60	42
EDO- 4272-	42	72	42
EDO- 4284-	42	84	42



You can add the 3-Drawer Option to one or both faces of the EDO Edison Open Table or Storage Tables. The Single Drawer and Cupboard Storage component can only be added to one or both faces of the EDS Edison Storage Table. Only one component per face for either table.



EDS-C4272-42

EDISON STORAGE STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
EDS- 4260-	42	60	42
EDS- 4272-	42	72	42
EDS- 4284-	42	84	42



EDO-C4272-42 shown with an ED-3SD component added to each face.



EDS-C4272-42 shown with an EDS-SDCS component added to each face.

CIRRUS



CS-C3060L-29



Cirrus is available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options

mediatechnologies.com/resources/finishes

CIRRUS

- Table tops are 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius.
- Steel End Frames are weldments consisting of a 14 gauge powder coated square steel tube vertical leg, a curved square steel tube leg, and a 1/4" thick steel mounting plate. Each frame has a shaped veneer or laminate panel mounted within it for structure and appearance.
- Legs are fitted with adjustable glides.
- Structural veneer or laminate modesty panel is **standard**. Modesty panel for 29" tables is 11"H. Full-height modesty panels are provided with 36" and 42" Height tables.

EDGE TYPES



C
3mm
PVC edges



E
3mm
Wood edges

CIRRUS STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CS- 2436_-	24	36	29/36/42
CS- 2442_-	24	42	29/36/42
CS- 2448_-	24	48	29/36/42
CS- 2460_-	24	60	29/36/42
CS- 2472_-	24	72	29/36/42
CS- 3036_-	30	36	29/36/42
CS- 3042_-	30	42	29/36/42
CS- 3048_-	30	48	29/36/42
CS- 3060_-	30	60	29/36/42
CS- 3072_-	30	72	29/36/42

CIRRUS COMPUTER



CSC-C3060L-29
Shown with standard grommets and wire management channel

CIRRUS Computer

- Table tops are 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius.
- Steel End Frames are weldments consisting of a 14 gauge powder coated square steel tube vertical leg, a curved square steel tube leg, and a 1/4" thick steel mounting plate. Each frame has a shaped wood panel mounted within it for structure and appearance.
- Legs are fitted with adjustable glides.
- Structural veneer or laminate modesty panel is **standard**. Modesty panel for 29" tables is 11"H. Full-height modesty panels are provided with 36" and 42" Height tables.
- A wire management channel is fastened inside the modesty panel to accommodate power and data cabling.
- Wire management grommet(s) are standard

EDGE TYPES



C
3mm
PVC edges



E
3mm
Wood edges

WIRE MANAGEMENT



80mm
Wire Grommet

CIRRUS COMPUTER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CSC- 2436_-	24	36	29/36/42
CSC- 2442_-	24	42	29/36/42
CSC- 2448_-	24	48	29/36/42
CSC- 2460_-	24	60	29/36/42
CSC- 2472_-	24	72	29/36/42
CSC- 3036_-	30	36	29/36/42
CSC- 3042_-	30	42	29/36/42
CSC- 3048_-	30	48	29/36/42
CSC- 3060_-	30	60	29/36/42
CSC- 3072_-	30	72	29/36/42



How do I designate my choice of materials or edgebanding in your model number scheme? I don't see it in your Model Number Charts.

1. The **Size Charts** are there to give you an idea of what **sizes** are available. If we added every material variation, the book would get pretty thick and the boss wouldn't let us print it.
2. Specific material information AND model numbers are listed on the List Price Sheet for each product. You can download it from each product's page on our website.


CIRRUS Curve

- Cirrus Curve is available in 60-degree and a 90-degree arc versions.
- Table tops are 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius.
- Steel End and Intermediate Frames are weldments consisting of a 14 gauge powder coated square steel tube vertical leg, a curved square steel tube leg, and a 1/4" thick steel mounting plate. Each frame has a shaped laminate panel mounted within it for structure and appearance.
- Intermediate panels have an upper notch for cable pass-through.
- Wire management grommets are optional.
- Legs are fitted with adjustable glides.
- Structural, curved, full-height laminate modesty panel is **standard**.

EDGE TYPES



WIRE MANAGEMENT OPTION



CIRRUS 60° CURVE STANDARD SIZES

MODEL	WIDTH"	RETURNS"	HEIGHT"
CS-C2496-60CRV-	96	24	29/36/42

CIRRUS 90° CURVE STANDARD SIZES

MODEL	WIDTH"	RETURNS"	HEIGHT"
CS-C24110-90CRV-	110	24	29/36/42



CURVED CIRRUS



CS-C2496-60CRV-36
Convex side (above)
Concave side (Right)



Cirrus Curve is available with a high pressure laminate finish. Laminate finishes require a PVC edge selection. Powder coat selection is needed for base. Specify finish choices separately.

Pairings...

There are lots of chair and stool options that work well on the Convex side of the Cirrus Curve. For the Concave side, here are some suggestions...

Cirrus 60 - Try two curved WINK 30s or a WINK 60. We also have Full Time

Curve ottomans that fit. Call us for details.

Cirrus 90 - Three Full Time FTC-30s fit.

Add straight Cirrus tables and additional Full

Time ottomans to create your desired space.

Left: Story Theater, consisting of curved and straight **Cirrus** tables and **Full Time Junior** ottomans. **Right:** Mediasharing Theater, consisting of curved and straight **Cirrus** tables, **Full Time** ottomans **Toadstools**, and **Crayon** table.



WCT

STEEL FRAME & PANEL ENDS



WCT-C3060-29



WCT-C3072-3-29
with Intermediate Frame



WCT-C42/2430-29
Corner

WCT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
WCT- _2437-	24	37	29
WCT- _2448-	24	48	29
WCT- _2460-	24	60	29
WCT- _3037-	30	37	29
WCT- _3048-	30	48	29
WCT- _3060-	30	60	29
WITH INTERMEDIATE FRAMES			
WCT- _2472-3-	24	72	29
WCT- _24105-4-	24	105	29
WCT- _3072-3-	30	72	29
WCT- _30105-4-	30	105	29

A “-3” in the part number = 1 intermediate frame.
A “-4” in the part number = 2 intermediate frames.



WCT-C3072-3-PL-29
Panel Left End
with intermediate frame



WCT-C3060-PR-29
Panel Right End

WCT WITH STEEL END FRAMES

- Table tops are 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius.
- Table tops include 1 wire mangement grommet per user space.
- Steel end and intermediate leg frames are weldments of 14 gauge powder coated square steel tubing.
- Wood end panels are 1-3/16" thick particleboard core with either select veneer with 3mm hardwood side edgebands or high-pressure laminate faces with 3mm PVC side edge bands.
- Wood end panel detailing can be specified to coordinate with other elements in the design environment, allowing these units to fit into any design setting. Contact factory.
- Intermediate leg frames differ from steel end frames only in the length of the bottom member, which is shortened for leg and chair clearance.
- Steel legs and Panels are fitted with adjustable leveling glides.
- Optional casters available
- Structural 18-gauge steel modesty/wire management panel is **standard**.


EDGE TYPES



CORNERS



WIRE MANAGEMENT



WCT CORNER SIZES (STEEL END FRAMES)

MODEL	DEPTH"	WIDTH"	RETURN"	HEIGHT"
WCT- _42/2424-	42	42	24/24	29
WCT- _42/2430-	42	42	24/30	29
WCT- _42/3024-	42	42	30/24	29
WCT- _42/3030-	42	42	30/30	29
WCT- _48/2424-	48	48	24/24	29
WCT- _48/2430-	48	48	24/30	29
WCT- _48/3024-	48	48	30/24	29
WCT- _48/3030-	48	48	30/30	29



WCT-C2460P-29
Panels on both ends

How do I designate my choice of materials, panels, steel frames or edgebanding in your model number scheme? I don't see it in your Model Number Charts.

1. The **Size Charts** are there to give you an idea of what **sizes** are available. If we added every material variation, the book would get pretty thick and the boss wouldn't let us print it.
2. Specific material information AND model numbers are listed on the List Price Sheet for each product. You can download it from each product's page on our website.



MATRIX

- Table tops are 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. User side edge of the worksurface is banded with 3mm PVC. Worksurface height is 29"
- Table tops include 1 wire management grommet per user space.
- Each station is equipped with a cable management trough.
- Side panels are 1" thick, three-ply particleboard core with .050" melamine on both surfaces. All edges are banded with 3mm PVC with a 1/8" radius on all corners. Overall side panel height is 30".
- Back panels are 1" thick, three-ply particleboard core with .050" melamine on both surfaces. All edges are banded with 3mm PVC with a 1/8" radius on all corners. Overall back panel height is 32"
- Modular starter/adder construction.
- Each back and side panel is fitted with adjustable leveling glides.
- Adjustable or alternate height worksurfaces may be requested. Contact Factory.
- Workstations optionally available with oak or maple veneer panels and also with high-pressure laminate panels. Additional charges may apply.

EDGE TYPES



C
3mm
PVC

WIRE MANAGEMENT



80mm
Wire Grommets

18-gauge Steel
Wire Management
Channel



MATRIX SINGLE FACED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MWXS-T-C2436-	24	37	32
MWXS-T-C3036-	30	37	32
MWXS-T-C2436A-	24	36	32
MWXS-T-C3036A-	30	36	32
MWXS-T-C2460-	24	61	32
MWXS-T-C3060-	30	61	32
MWXS-T-C2460A-	24	60	32
MWXS-T-C3060A-	30	60	32



MATRIX CORNER MODULE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
24" RETURNS			
MWXC-T-C242442-	42	42	32
MWXC-T-C242448-	48	48	32
30" RETURNS			
MWXC-T-C303042-	42	42	32
MWXC-T-C303048-	48	48	32

MATRIX MODULAR WORKSTATIONS



MWXD-T-C2436-29/
MXWD-T-C2436A-29
Starter/Adder Double-Faced Module

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



MATRIX DOUBLE FACED STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MWXD-T-C2436-	47	37	32
MWXD-T-C3036-	59	37	32
MWXD-T-C2436A-	47	36	32
MWXD-T-C3036A-	59	36	32
MWXD-T-C2460-	47	61	32
MWXD-T-C3060-	59	61	32
MWXD-T-C2460A-	47	60	32
MWXD-T-C3060A-	59	60	32

Can I get it in Wood?

The model numbers shown for these Matrix stations is for **melamine** panels with **PVC** edges. Of course you can ask for **high-pressure laminate** panels...and, yes, you can certainly get these stations in your choice of **oak** or **maple veneer** with **wood edges**. This holds true for most of the furniture we make for you. We are happy to use the materials that you want on **your** furniture. Additional charges may apply. Specify finish choices separately.

Z-TABLE



ZS-C3060-29

Z-TABLE “SINGLE” STANDARD SIZES

MODEL	DEPTH”	WIDTH”	HEIGHT”
ZS-C3036-29	30	36	29
ZS-C3048-29	30	48	29
ZS-C3060-29	30	60	29
ZS-C3072-29	30	72	29



Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.

Z-TABLE

- Worksurfaces are 1-1/4” thick, three-ply particleboard core with .050” high-pressure laminate top surface and a .030” phenolic backer.
- Top worksurface is 18”D, lower work surface is 24”D. Edges are 3mm PVC with a 1/8” radius top and bottom. 3” diameter covered wire management grommet(s) standard in the top work surface. Top includes (1) cabling grommet per user space.
- 1” 14-gauge powdercoated steel spanner worksurface support (Dual Level Z Table Only)
- Steel end frames are weldments of 14 gauge powder coated steel tubing with 1” x 2” horizontal members and 1” x 1” uprights and lower work surface supports. Each frame is fitted with adjustable leveling glides.
- Optional casters are available
- Wire management/modesty panel is constructed of 18 gauge steel and is attached to the underside of the work surface and end frames. The lower part of the panel is bent to form a wire management channel.

EDGE TYPES



C
3mm
PVC edges

WIRE MANAGEMENT



80mm
Wire Grommets
(standard)

MODESTY PANEL



Steel
(standard)



Z-C3048-29

Z-TABLE “DUAL” STANDARD SIZES

MODEL	DEPTH”	WIDTH”	HEIGHT”
Z-C3036-29	30	36	29
Z-C3048-29	30	48	29
Z-C3060-29	30	60	29
Z-C3072-29	30	72	29

Visit the mediatechnologies website for:
 • finish, laminate and powder coat options
mediatechnologies.com/resources/finishes

OPTIONS

CASTERS



CPU HOLDER




CRAYON

CRAYON

- Crayon is an interactive work space and multimedia conference space.
- Work surface is 1 1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer. Edge is 3mm PVC with a 1/8" radius top and bottom or "self edge". Work surface is supported by an apron and in some cases a steel keel.
- Cabinet base is constructed of 3/4" thick particleboard core with high-pressure laminate and PVC edges or oak or maple veneer surfaces with 3mm wood edges, all with a 3" toe kick and includes a lockable cable box door.
- Rectilinear table tops will receive a 3" diameter powder coated single column steel support leg. "D" and "Lightbulb" shaped tops will receive a 3" diameter single-column disc-base support leg. Table length may also determine the type of base required.
- The 23-3/4" x 23-3/4" monitor mount panel is constructed of 3/4" thick black melamine and is bolted to (2) 36-1/2" H powder coated steel posts.
- Mounting surface suitable for attaching the mount for a flat screen monitor. (Monitor and mount not included.)

EDGE TYPES



CY-F3060LD
shown with optional dual flip up power/
data ports. *TV mount not included.
*TV not included.

CRAYON RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CY-_3060-	30	60	29/36/42
CY-_3072-	30	72	29/36/42
CY-_3660-	36	60	29/36/42
CY-_3672-	36	72	29/36/42
CY-_4260-	42	60	29/36/42
CY-_4272-	42	72	29/36/42
CY-_4860-	48	60	29/36/42
CY-_4872-	48	72	29/36/42

CRAYON "D" SHAPE STANDARD SIZES


MODEL	DEPTH"	WIDTH"	HEIGHT"
CY-_3660LD-	36	60	29/36/42
CY-_3672LD-	36	72	29/36/42
CY-_4260LD-	42	60	29/36/42
CY-_4272LD-	42	72	29/36/42
CY-_4860LD-	48	60	29/36/42
CY-_4872LD-	48	72	29/36/42



Crayon is available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Powder coat selection is needed for base. Specify finish choices separately.



The Crayon table is the perfect vehicle for mediasharing and connectivity accessories. See our **Connect** brochure for the great possibilities that we have to offer.



CRAYON "LIGHTBULB" SHAPE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CY-_36/4872LB-	36	72	29/36/42
CY-_36/4884LB-	36	84	29/36/42
CY-_36/4896LB-	42	96	29/36/42

Pairings...

Crayon tables play well with Shirley booths, Pocket Lounge (like in the image to the left) and Pocket Café, Push Pop stools, Toadstools, and Full Time ottoman seating. See Crayon in our Media Sharing Theatre Kit on our website! The possibilities are truly endless... **What will you pair Crayon with?**


INDY



IN-C2496-60CRV-29

Pairings...

The Indy table is designed to work with WINK-60 (2) WINK-30s and a Full Time Curve ottoman on the Concave side. Choose from any of our shell chair or stool options, like Platform seating, or non-traditional with Push Pop or Toadstool to meet your needs on the Convex side.



INDY

- A collaboration-style table named "Indy"? Is it a table or is it a counter? Contradictions? Who cares? It works.
- Indy is formed around a 60-degree arc.
- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer.
- Vertical panels available are 1" thick particleboard core with high pressure laminate surfaces and 3mm PVC edges.
- Vertical panels are fitted with adjustable leveling glides.
- Full Height curved high-pressure laminate modesty panel.

EDGE TYPES



INDY 60° CURVE STANDARD SIZE

MODEL	WIDTH"	RETURNS"	HEIGHT"
IN-_2496-60CRV-	96	24	29/36/42



KIRBY



KRB-C3672L-36


KIRBY

- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer and 3mm PVC edges.
- Vertical panels available are 1" thick particleboard core with high pressure laminate or melamine surfaces and 3mm PVC edges.
- Two 1" thick high pressure laminate stretchers extend from end panel to end panel for support and structure.
- Vertical panels are fitted with adjustable leveling glides.
- Panel grip casters are optionally available.

EDGE TYPES



CASTERS (OPTIONAL)



Locking Caster

KIRBY RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
KRB-_3060_-	30	60	29/36/42
KRB-_3072_-	30	72	29/36/42
KRB-_3084_-	30	84	29/36/42
KRB-_3096_-	30	96	29/36/42
KRB-_3660_-	36	60	29/36/42
KRB-_3672_-	36	72	29/36/42
KRB-_3684_-	36	84	29/36/42
KRB-_3696_-	36	96	29/36/42
KRB-_4260_-	42	60	29/36/42
KRB-_4272_-	42	72	29/36/42
KRB-_4284_-	42	84	29/36/42
KRB-_4296_-	42	96	29/36/42
KRB-_4860_-	48	60	29/36/42
KRB-_4872_-	48	72	29/36/42
KRB-_4884_-	48	84	29/36/42
KRB-_4896_-	48	96	29/36/42



with optional casters



DOWNTOWN

- This Parsons-style design is the perfect combination of simplicity, elegance and functionality.
- Available in a variety of sizes, it can fulfill your needs as a desk, work table, or standing conference table .
- **Massive 2-3/8" thick worksurface**, particleboard core with high-pressure laminate surface.
- **Massive 2-3/8" side panels**, particleboard core with high-pressure laminate faces with "self-edge" or oak or maple veneer with 8mm wood edges. **Laminate panels receive corner guards.**
- Each panel leg is fitted with adjustable leveling glides.
- Two 1" thick hardwood stretchers extend from panel to panel for support and structure.
- Standard panel-mounted vertical wire management.

EDGE TYPES

A
HPL
Self edges



The Downtown table is the perfect vehicle for mediasharing and connectivity accessories. See our Connect brochure for the great possibilities that we have to offer.

F
8mm
Wood



DT-F4296-42
HPL models receive corner guards on panel edge corners.

DOWNTOWN RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DT-_3660_-	36	60	29/36/42
DT-_3672_-	36	72	29/36/42
DT-_3684_-	36	84	29/36/42
DT-_3696_-	36	96	29/36/42
DT-_4260_-	42	60	29/36/42
DT-_4272_-	42	72	29/36/42
DT-_4284_-	42	84	29/36/42
DT-_4296_-	42	96	29/36/42
DT-_4860_-	48	60	29/36/42
DT-_4872_-	48	72	29/36/42
DT-_4884_-	48	84	29/36/42
DT-_4896_-	48	96	29/36/42




Downtown is available in 14 standard oak and maple finishes and laminate options. Laminate options require a PVC selection. Specify finish choices separately.

Pairings...

Downtown is a substantial table. You will be able to pair a lot of different types of seating with it. At 29", 36" or full 42" height there are a lot of possibilities. You will find what you are looking for amongst our chairs, stools and ottomans. Don't forget to locate the connectivity option that will be perfect for you in our Connect brochure on our website... mediatechnologies.com



Left: Downtown with connectivity and Toadstools. **Right:** Downtown with connectivity, Bella stools Surfboards and elements track.



GROOTABLE



GRT-C2436-29

Pairings...

Gootable is an ideal pairing solution for booth seating in a café or cafeteria environment. As a matter of fact, Grootable fixed tables are a great solution for perimeter worksurfaces eating areas. Traditional stools (Push Pop and Toadstool) work great. So do other options like Carlo, Full Time ottomans and Romak, Bella, Platform and Slide.



GROOTABLE

- Fixed, floor mounted table.
- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer.
- Edges 3mm PVC.
- Molded plastic cover with black finish hides mounting hardware in floor and allows for easy cleaning.
- Columns are 16-gauge powder coated steel.
- Connectivity wiring can be pulled through column tube or externally through the use of an optional raceway.

★ Floor mounting hardware not included.

● EDGE TYPES

● CORNERS



C
3mm
PVC edges



Squared
Corners

GROOTABLE RECTANGULAR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GRT-_2436-	24	36	29
GRT-_2448-	24	48	29
GRT-_2460-	24	60	29
GRT-_2472-	24	72	29
GRT-_3036-	30	36	29
GRT-_3048-	30	48	29
GRT-_3060-	30	60	29
GRT-_3072-	30	72	29



Grootable is available in high pressure laminate. Laminate options require a PVC selection for edges. Standard powder coat is black unless specified otherwise. Specify finish choices separately.

Visit the mediatechnologies website for:
 • finish, laminate and powder coat options
[mediatechnologies.com/resources/finishes](https://www.mediatechnologies.com/resources/finishes)

Below: A custom wave **Grootable** counter surface with **Push Pop** stools.



ELEMENTS COUNTER

Whether you are creating an entire computer lab or simply adding a single workstation to your space, the elements track-mounted cantilever supports provide strength and flexibility. Whether you are developing workspace, study space, eating space or café space, the elements track mounted counter allows you to craft spaces that match your individual style. Since the counter surfaces are track mounted, you can remove or reconfigure them without any damage to your wall.

- 1-1/4" thick high pressure laminate work surface and 3mm PVC edges
- 14"D. With or without Backsplash. 24" to 144"W in 6" increments
- Steel cantilever arms
- Full length vertical Support

EDGE TYPES



C
3mm
PVC edges

CORNERS



Squared
Corners



elements Counter is available in high pressure laminate. Laminate options require a PVC selection for edges. Specify finish choices separately.

Visit the mediatechnologies website for:

- flamine and PVC options
- mediatechnologies.com/resources/finishes

ELEMENTS COUNTER



Above: elements Counter around the perimeter in this teacher's lounge.



Wall Mount

2

Solutions for your perimeter counter requirements...



Floor Mount



elements

elements (yes, lower case is correct) is way bigger than just track mounted counter tops. It is a complete and very unique storage system. The best way to explain it is to have you watch the video...




You can view it on our website here...

<http://www.mediatechnologies.com/resources/videos>

Click **Elements Product Demo**

or you can use the QR Code thing to my right.

TABLE ACCESSORIES & OPTIONS



Got Power?



Do you require power and connectivity distribution?

We can help you get plugged in. We offer lots of interface options, from AC to USB to media sharing. Our **Connect** brochure is full of standard connectivity and wire management options to keep you connected.

Visit the mediatechnologies website for:

- more connectivity & wire management options in our Connect Brochure.

mediatechnologies.com/resources/downloads/brochures



We want you to find the perfect accessory for your application. However, not all accessories are perfect for every furniture application. We can help you find the accessory that is just right for you.

Connect

mediatechnologies®



TABLE ACCESSORIES & OPTIONS

FINISHES • EDGES • POWDER COAT • PULLS • HINGES



Finishes

Generally, worksurfaces are finished with high pressure laminate. These can include a custom graphic laminate. Additional charges may apply.

We also have the capability of finishing your table work surface with **write on materials!** All are dry erase compatible and one is great for both chalk and dry erase markers. Ask us about it.

If your table includes panels or a cabinet base, we can finish those items with high pressure laminate, melamine or oak or maple veneers. Additional charges may apply.

If your table includes wood legs, you have the option to choose a stain or a Sprayon finish.

Pulls & Hinges

Cabinet base tables may have doors or drawers. In that case, you will need to select from our selection of pulls and hinges. Design requirements may limit the hinges available for your specific product.

Edges

Worksurface edges will either be PVC, Wood or, in the case of a self-edged worksurface, high pressure laminate.

Choose from our menu of PVCs for your PVC edge, or stains for wood edge to go with your table top.

If your table includes panels or a cabinet base, High pressure laminate and melamine finishes will receive your choice of PVC edging; veneer finishes will receive a wood edge stained to match.

Powder Coat

Steel legs, bases and some accessories require a powder coat selection. Choose from our menu of powder coat options.

You can find all these options at www.mediatechnologies.com/resources/finishes

MOBILITY • MODESTY • NESTING • ACCESSORIES



Casters

Most items will indicate if casters are standard or available as an option. Products that require a different caster will be noted on the product page. Our standard caster is a 50mm twin wheel black locking caster.



Milestone **Rock-N-Roll Base** allows for ease of maneuverability. 1-5/8" nearly concealed casters engage when table is tilted to a slight angle.



Modesty Panels

If you require a modesty panel for your table selection, check the pricer page. Many tables have specific modesty panels designed for them. If the pricer sheet for your table does not indicate that a specific modesty panel is recommended, contact us and we'll help you out.



CPU Holder

Keep your tower off the floor and off the table top with this under-table mount CPU Holder.



Surfboard Components

Surfboard Table Side Mounting Bracket SFB-SMB
This bracket can be mounted on the side of rectangular tables where there is no interference from the frame. Allows Surfboard to hang down at the side or to stand at the side as a display or a privacy divider. Compatible with Alba, Derby Vector, Stance, Eclipse, Trix, Rally, Rockford and elements.



Surfboard hanging Bracket for Track HTSBB

This bracket allows you to hang your surfboards from wall mounted track.

Surfboard Table Top Mounting Bracket SFB-TMB

This Surfboard mounting bracket fits in an oval grommet hole and allows the surfboard to stand on edge as a display or a privacy divider.



Flip Top

Flip Top option allows table top to be flipped for ease in moving and storage. It is available on most column-base tables - single column or two column - sometimes even four! If you are not sure about your selection, ask.



Folding Base

Optional Folding Base provides positive lock in the up or down position. Check the pricer sheet for your product or contact the factory regarding availability.



Bag Hook

Keep backpacks off the floor and off the table top with this under-table mount bag hook. Black powder coated steel hook has been tested to hold 100 lbs. The picture makes it look huge. Its only 2" x 2.3".



Surfboard SFB-1824

This dry erase marker board can be used in a variety of ways in a multitude of environments. 18" x 24" is easy to handle, and with the tables mounts can be used as a display or a privacy divider.





The Desk. A bastion of authority. Help desk, Ticket Counter, Teacher Desk, Circulation Desk, Reception Desk. In many cases, the desk is the first thing you see when entering a building. Make the first impression a really, really good one.



Desks

Desks

GTX
Timmy

Reception Desks

Domino
Milan

Adjustable Height Desks

Jack
Porter

Mobile Desks

Anchor
Jane
Wingman

Scholar
Interact
Nomad



Turkey-Tot Casserole

Bake: 50 minutes
Preheat oven to 375°

16-20 oz Ground Turkey
1/2C Red onion, finely chopped
1 Medium zucchini, shredded
1C Shredded cheddar cheese
1 Can Cream of mushroom soup
1lb Frozen tater tots

Spray 9 X 13 pan with cooking spray.
In large bowl, mix the ground turkey, onion, zucchini and cheese.
Spread turkey mixture over the bottom of the pan, covering it.
Spread the cream of mushroom soup over the turkey mixture, then distribute the tater tots over the soup to cover.
Pair with steamed broccoli and a nice glass of cold milk.
Serves 8.



GTX DESK



GD-C3060



GTX Desk shown with a Rubix Credenza

GTX DESK

- 14-gauge powder coated steel leg frames bolt into a double steel keel assembly for a rigid base.
- 1-1/4" thick high pressure laminate top "floats" on 3/4" spacers bolted through the steel frame assembly into the underside of the work surface.
- High pressure laminate modesty panel is **standard**.

GTX DESK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
GD-3060	30	60	29
GD-3072	30	72	29

EDGE TYPES



C
3mm
PVC edges

CORNERS



Squared
Corners



GTX Desk is available in high pressure laminate. Laminate finishes require a PVC edge selection. Powder coat selection is needed for base. Specify finish choices separately.

TIMMY



TDB-L-C3060



Rectangular



Convex Bow



Return Right



EDGE TYPES



C
3mm
PVC

CORNERS



Squared
Corners



Timmy Desk is available in high pressure laminate, thermally fused laminate. PVC selection is required. Specify finish choices separately.

OPTIONS

PEDESTALS



See pedestals
in DESK
ADDITIONS on
page 109

PENCIL DRAWER



Steel Front

TIMMY STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RECTANGULAR TOP			
TDR-_-C3048-29	30	60	29
TDR-_-C3060-29	30	72	29
CONVEX BOW TOP			
TDB-_-C3048-29	30	60	29
TDB-_-C3060-29	30	72	29

TIMMY RIGHT RETURN SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TDRR-_-C2036	20	36	29
TDRR-_-C2042	20	42	29

TIMMY LEFT RETURN SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TDRL-_-C2036	20	36	29
TDRL-_-C2042	20	42	29

JACK

JACK Adjustable or Fixed Height

- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer and 3mm PVC edges
- Base is 1-1/4" powder coated 14 gauge square steel tube.
- Adjustable height frame allows worksurface height adjustment range of 25.75" - 33.75" (9 positions) secured with a set screw. Fixed height desk is 29"H.
- Bottom frame members fitted with adjustable leveling glides.
- Optional casters available
- Decorative powder coated perforated steel modesty panels.

EDGE TYPES



OPTIONS

PENCIL DRAWERS



Steel Front

CASTERS



JD-C24/4884

JACK BOOMERANG STANDARD SIZES

MODEL	DEPTH"	OVERALL WIDTH"	ANGLED	HEIGHT"
JD-C24/4884-29	30	84	120°	29
JD-C24/4884	30	84	120°	25.75-33.75



Jack Desk is available in high pressure laminate. PVC selection is required. Powder coat base. Specify finish choices separately.

Visit the mediatechnologies website for:

- laminate, PVC and powder coat options
- mediatechnologies.com/resources/finishes



JACK RECTANGLE STANDARD SIZES

MODEL	DEPTH"	OVERALL WIDTH"	HEIGHT"
JD-C3060-29	30	60	29
JD-C3060	30	60	25.75-33.75
JD-C3072-29	30	72	29
JD-C3072	30	72	25.75-33.75

PORTER DESK Adjustable Height

- Adjustable height teacher desk is manually adjustable in height from 27-1/4" to 45" with hand crank.
- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer and 3mm PVC edges
- Base is powder coated steel and is fitted with nylon leveling glides.
- 11-3/4" H high pressure laminate modesty panel.
- Optional 2" locking casters (4).

EDGE TYPES



OPTIONS

CASTERS



Hand Crank



Table adjusts manually with hand crank from 27-1/4" to 45" in height.



PDCT22-C3060-ADJ

PORTER DESK STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
PDCT22-3060	30	60	27-1/4 -45
PDCT22-3072	30	72	27-1/4 -45

PORTER DESK

ANCHOR



AD-C2460-2D



Your legs go on this side.
Did you notice that this one
has 2 casters?

ANCHOR

- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer and 3mm PVC or 3mm wood edges
- Vertical panels are 3/4" thick, particle board core and can be finished with either high pressure laminate and PVC edges or oak or maple veneer with wood edges.
- Legs are powder coated 1-1/2" 24 gauge steel tube and are fitted with leveling glides.
- Optional 2" locking casters
- 80mm wire management grommets optional.

EDGE TYPES



CORNERS



OPTIONS

WIRE MANAGEMENT



ANCHOR DESK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
AD-2460	30	60	29

***** Anchor Desk is available in high pressure laminate, and veneer. Combine laminate and veneer or choose to specify all veneer or all laminate. Edge choice required and powder coat finish. Specify finish choices separately.

JANE

- Cabinet is constructed with 3/4" thick engineered wood core with either melamine or high pressure laminate box finish and 3mm PVC edges. Cabinet is built on a rigid steel powder coated steel frame.
- Cabinet receives two box and one file drawer with full extension 100# ball bearing drawer slides.
- Mobile cabinet unit rolls on 4 twin wheel locking casters.
- Available cabinet positioned on left (JN2L) or right (JN2R) from user position.
- Bullet-shaped top is 1" thick, three-ply particleboard core with .050" high-pressure laminate top surface and .030" phenolic backer. Edges are 3mm PVC. Corners on rectilinear end are square with 1/8" radius.
- (2) oval grommets are provided. One located in the work surface and one located in the cabinet wall beneath the desk work surface.
- Desks are fitted with a matching laminate modesty panel.
- Legs are powder coated 16-gauge oval tubing fitted with (2) locking casters.


EDGE TYPES



CORNERS



WIRE MANAGEMENT



***** Jane Desk is available in high pressure laminate or melamine. PVC edge choice required. Frame and legs require powder coat finish. Specify your choice of drawer pulls. Specify all finish choices separately.

JANE



JN2L-C3060L-29

JANE DESK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
JN2_-C3060_-29	30	60	29



Pairings...

What is the perfect mate for the Jane desk?
Why the matching Richard Lectern, of course.



Visit the mediatechnologies website for:

- laminate, PVC, pulls and powder coat options
- mediatechnologies.com/resources/finishes

WINGMAN

WINGMAN

- Wingman Desks are available with either box and file drawers or a vented storage cabinet.
- Available cabinet positioned on left (i.e. WMBLL) or right (i.e. WMBLR) from user position.
- Cabinets are available with melamine or high pressure laminate finish with 3mm PVC edges. Cabinet is constructed on a rigid powder coated steel frame.
- High pressure laminate worksurfaces with 3mm PVC edges.
- Modesty panel and casters are **standard**.
- Wire management grommet is **standard**.
- Vented powder coated perforated steel front panel.
- Worksurface legs are powder coated 7/8" x 1-1/4", 16-gauge oval tubing fitted with 2 locking casters

Worksurface Shapes



Bean



Bell



WMBN-C3366

EDGE TYPES



C
3mm
PVC

CABINET



Vented
Storage
Cabinet

CASTERS



Box and File
Drawers



Wingman Desk is available in 14 veneer finishes, laminate and thermally fused laminate. Edge choice required and powder coat finish. Specify finish choices separately.

WINGMAN DESK BOX AND FILE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
BELL SHAPE WORKSURFACE			
WMBL_- _3366_-B	32.5	65.5	29.25
BEAN SHAPE WORKSURFACE			
WMBN_- _3366_-B	32.5	65.5	29.25

WINGMAN DESK STORAGE CABINET STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
BELL SHAPE WORKSURFACE			
WMBL_- _3366_-C	32.5	65.5	29.25
BEAN SHAPE WORKSURFACE			
WMBN_- _3366_-C	32.5	65.5	29.25

SCHOLAR

- Worksurface is 1-1/4" thick, three-ply particleboard core with .050" high-pressure laminate top surface and a .030" phenolic backer and 3mm PVC edges
- End panels are 1-1/4" thick, particle board core and can be finished with either high pressure laminate or melamine with PVC edges.
- Vented powder coated perforated steel front panel.
- 1-1/4" 14 gauge powder coated steel frame chassis
- Decorative vented steel modesty panel.
- Casters are **standard**
- Grommets are **optional** (not included)

EDGE TYPES



C
3mm
PVC

CORNERS



Radiused
Corners

CASTERS



WIRE MANAGEMENT



80mm
Wire Grommet



60" Wide
PD6030T-MB



PD4830T-MB

SCHOLAR DESK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
PD4830T-MB	30	48	29
PD6030T-MB	30	60	29



Scholar Desk is available in high pressure laminate or melamine. PVC edge choice required and powder coat finish. Specify finish choices separately.



Pairings...

What could possibly go better with the Scholar Desk than the Stowaway Personal Cabinet. Like Peas and Carrots, right?

INTERACT



ID-E102 shown with custom graphic

INTERACT DESK STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
_ID-_48-42	30	48	42
_ID-_72-42	30	72	42
_ID-_102-42	30	102	42

Perfect for a variety of uses, including:

- **Security**
- **Mobile Reception**
- **Circulation**
- **Ticket Counter**

Visit the mediatechnologies website for:

- stains, laminate, PVC, pulls and powder coat options
- mediatechnologies.com/resources/finishes

CONFIGURATIONS



ID-48-42

48" Desk Unit

Features a 48" open desk unit with locking hanging pedestal unit.



ID-72-42

72" Desk Unit



ID-102-42

102" Desk Unit

Features two (2) 36" open desk units and a six (6) drawer locking storage unit.

INTERACT

- Worksurfaces are 1-1/4" thick, particle board core with high pressure laminate top and a phenolic backer. Worksurface height shall be 30" AFF. Patron side edges shall be hardwood or PVC.
- End panels are 1" thick, particle board core with high pressure laminate surfaces and PVC edges or veneer surfaces and wood edges. Front panel is 3/4" thick particleboard core with either high pressure laminate or veneer surfaces.
- Desk is constructed on a modular powder coated 1-1/4" 14 gauge square steel frame.
- Central module on 102" unit houses two banks of drawers, each bank consisting of a lower file drawer and two upper box drawers. Each drawer shall use full extension ball bearing drawer slides rated at 100lb capacity per pair.
- Twin wheel swivel casters with brake, rated at 100# per caster are **standard**.
- **Contact the factory about customizing with your logo or graphics**

EDGE TYPES



C
3mm
PVC edges
for HPL or
TFL
construction

CORNERS



Squared
Corners

CASTERS



E
3mm
Wood edges
for wood/
veneer
construction

NOMAD

- Worksurfaces are 1-1/4" thick, particle board core with high pressure laminate tops and 3mm PVC edges and radiused corners.
- Front panels and end panel inserts available in premium wood veneer or high pressure laminate.
- Welded square 14-gauge tubular powder coated steel support frame.
- 100mm heavy duty locking casters.
- ND-75D-MOB-WHP includes an (unmounted) steel hanging pedestal with 1 box and 1 file drawer. Mount where desired.
- Steel pedestal is finished in coordinating powder coat.

EDGE TYPES



C
3mm
PVC

CASTERS




HANGING PEDESTAL



Included with
ND-72D-MOB-WHP



Transaction Top Right
ND-75DR-45-MOB



Transaction Top Left
ND-75DL-45-MOB



User Side



No Transaction Top
ND-75X-45-MOB

NOMAD DESK 75" WIDE SIZES * SITTING HEIGHT

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-75DL-MOB	24	75	29	35
ND-75DR-MOB	24	75	29	35
WITHOUT TRANSACTION TOP				
ND-75DX-MOB	24	75	29	29

NOMAD DESK 75" WIDE SIZES * STANDING HEIGHT

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-75DL-45-MOB	24	75	39	45
ND-75DR-45-MOB	24	75	39	45
WITHOUT TRANSACTION TOP				
ND-75DX-39-MOB	24	75	39	39

NOMAD DESK 75" WIDE SIZES WITH HANGING STEEL PED

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-75DL-MOB-WHP	24	75	29	35
ND-75DR-MOB-WHP	24	75	29	35
WITHOUT TRANSACTION TOP				
ND-75DX-MOB-WHP	24	75	29	29



*Does NOT include
descending book truck

NOMAD MOBILE CABINET WITH BOOK RETURN SLOT

MODEL	DEPTH"	WIDTH"	HEIGHT"
ND-40BR-MOB	29	40	29

NOMAD



ND-75DL-45-MOB



Transaction Top Right
ND-84DR-45-MOB



Transaction Top Left
ND-84DL-45-MOB



User Side



No Transaction Top
ND-84X-45-MOB

NOMAD DESK 84" WIDE SIZES * SITTING HEIGHT

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-84DL-MOB	30	84	29	35
ND-84DR-MOB	30	84	29	35
WITHOUT TRANSACTION TOP				
ND-84DX-MOB	30	84	29	29

NOMAD DESK 84" WIDE SIZES * STANDING HEIGHT

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-84DL-45-MOB	30	84	39	45
ND-84DR-45-MOB	30	84	39	45
WITHOUT TRANSACTION TOP				
ND-84DX-39-MOB	30	84	39	39

NOMAD DESK 84" WIDE SIZES WITH HANGING STEEL PED

MODEL	DEPTH"	WIDTH"	WORKSURFACE HEIGHT"	OVERALL HEIGHT"
ND-84DL-MOB-WHP	30	84	29	35
ND-84DR-MOB-WHP	30	84	29	35
WITHOUT TRANSACTION TOP				
ND-84DX-MOB-WHP	30	84	29	29



Nomad Desk is available in premium wood veneer or high pressure laminate. Choose a main finish and an accent finish if you wish. Edge choice required. Frame and legs require powder coat finish. Specify all finish choices separately.

Visit the mediatechnologies website for:

- stains, laminate, PVC, pulls and powder coat options
- mediatechnologies.com/resources/finishes

DOMINO



DMDR-3096-29



Main Unit Rear

DOMINO RECEPTION DESK

- Configure to fit your needs with three sizes of right and left main units and 36" return units.
- High-pressure laminate work surface. Transaction top included.
- Grommets are available and should be ordered separately.
- Available in premium wood veneer or high pressure laminate finishes.
- Contact the factory about combining finishes for a unique signature piece or to match a design motif.

EDGE TYPES FOR TRANSACTION TOP



C
3mm
PVC



E
3mm
Wood



Both Domino & Milan Desks are available in premium wood veneer or high pressure laminate. Choose a main finish and an accent finish if you wish. Edge choice required for transaction tops. Specify all finish choices separately.

DOMINO MAIN UNIT RIGHT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DMDR-_3084-	30	84	29
DMDR-_3096-	30	96	29
DMDR-_30120-	30	120	29

DOMINO MAIN UNIT LEFT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DMDL-_3084-	30	84	29
DMDL-_3096-	30	96	29
DMDL-_30120-	30	120	29

DOMINO RETURN UNIT RIGHT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DMRR-_3036-	30	36	29
DMRR-_3042-	30	42	29
DMRR-_3048-	30	48	29

DOMINO RETURN UNIT LEFT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
DMRL-_3036-	30	36	29
DMRL-_3042-	30	42	29
DMRL-_3048-	30	48	29

MILAN RECEPTION DESK

- Configure to fit your needs with three sizes of right and left main units and 36" return units.
- High-pressure laminate work surface. Transaction top included.
- Grommets are available and should be ordered separately.
- Available in premium wood veneer or high pressure laminate finishes.
- Contact the factory about combining finishes for a unique signature piece or to match a design motif.

EDGE TYPES FOR TRANSACTION TOP



C
3mm
PVC



E
3mm
Wood



Main Unit Rear

MILAN



MLDL-3084-29



MILAN RETURN UNIT RIGHT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MLRR-_3036-	30	36	29
MLRR-_3042-	30	42	29
MLRR-_3048-	30	48	29

MILAN RETURN UNIT LEFT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MLRL-_3036-	30	36	29
MLRL-_3042-	30	42	29
MLRL-_3048-	30	48	29

MILAN MAIN UNIT LEFT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MLDL-_3084-	30	84	29
MLDL-_3096-	30	96	29
MLDL-_30120-	30	120	29

MILAN MAIN UNIT RIGHT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
MLDR-_3084-	30	84	29
MLDR-_3096-	30	96	29
MLDR-_30120-	30	120	29

DESK ACCESSORIES

Accessories

PEDESTALS

- Available in steel or laminate.
- Mobile
- Two file drawers
- Two box and one file drawers
- Cushion top with one box and one file drawers.
- Hanging file pedestal



Hanging File/File
WHP661222



Cushion Top w/ Handle
WMP361222



Box/Box/File
WMP661222



File/File
WMP121222



CPU Holder

Keep your tower off the floor and off the table top with this under-table mount CPU Holder.





Pencil Drawer

18"W x 17"D with metal construction and nylon glide. Steel Front.

Customization

Do you want your customize your desk? We can make that happen for you. Take a look at our Sign It brochure at mediatechnologies.com/resources/downloads/brochures.



Got Power?



Do you require power and connectivity distribution?

We can help you get plugged in. We offer lots of interface options, from AC to USB to media sharing. Our **Connect** brochure is full of standard connectivity and wire management options to keep you connected.

Visit the [mediatechnologies](http://mediatechnologies.com) website for:

- more connectivity & wire management options in our Connect Brochure.
- mediatechnologies.com/resources/downloads/brochures



We want you to find the perfect accessory for your application. However, not all accessories are perfect for every furniture application. We can help you find the accessory that is just right for you.

Connect



ESTING A QUOTE BASED ON THIS DRAWING, YOU MUST INC

Tech Carts are the AV Nerds of Furniture. Not quite as stylish as their fine seating friends, but lets face it, they are "what's happening" when it comes to classroom tech. "So, who's the nerd now...lounge chair?"

Lecterns are there to give us support when we have to address the organization or make the big presentation. What else would we have to hold up or stand behind when things get rough?

DUO CONNECT

Tech Carts & Lecterns

Tech Carts

Stowaway
Conciérge
Samson

Lecterns

Jacqui
Richard
Elector

Hannibal



Randy's Greek Pasta

Prep Time: 30-40 minutes

1 medium onion finely chopped
2 garlic cloves, minced
1Q crushed tomatoes
15oz. White beans, drained and rinsed
1TBS Chili Powder
1Tsp Paprika
1TBS White sugar
1TBS Apple cider vinegar
Salt and pepper

4C Fresh baby spinach, medium chop
Your favorite pasta
Feta cheese
Kalamata olives

Sautee onion and garlic until translucent.
Add tomatoes, beans, chili powder, paprika, sugar, vinegar
and salt and pepper.

Cook over medium heat for 10 minutes,
then add spinach.

Cook another 2 minutes
Serve over your favorite pasta
Top with Feta cheese and Kalamata olives.



STOWAWAY



STOWAWAY Personal Cabinet

- Available with either box and file drawers or a vented storage cabinet.
- Right or left side pull out expands work areas (PCR or PCL).
- High pressure laminate worksurface with PVC edges
- Available in melamine, high pressure laminate or veneer panels
- Melamine and HPL finishes receive 3mm PVC edges, veneer finish receives 3mm wood edges.
- 1-1/4" 16-gauge powder coated steel square tube frame.
- Wire management grommet and casters are **standard**.
- Vented steel front panel
- Your choice of 5 standard pulls
- **Customize with your organization's logo.**

STOWAWAY STANDARD SIZES

MODEL	VERSION	HEIGHT"	DEPTH"	WIDTH"
PC_-1842-MB-__	CABINET	42	24	18
PC_D-1842-MB-__	DRAWER	42	24	18

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



Stowaway is available in melamine, high pressure laminate and many standard veneer finish options. Specify finish choices separately.



Rear View

EDGE TYPES



CABINET



Vented
Storage
Cabinet



Box and File
Drawers

PULL OUT



Right
or Left
Pullout

CASTERS



Twin Wheel

PULLS



Below: A **Stowaway** in a classroom setting with rows of **WCT** tables and a **Scholar** desk.



CONCIERGE

CONCIERGE Expandable Surface Technology Cart

- High pressure laminate worksurface with 3mm PVC edges.
- Expandable pull-out work areas. Right or left side pull out (PCR or PCL).
- Wire management grommet and casters are **standard**.
- Decorative vented powder coated steel locking back.
- Fully adjustable concealed hinges and locking mechanism
- Available in melamine, high pressure laminate or veneer.
- Melamine and HPL finishes receive 3mm PVC edges, veneer finish receives 3mm wood edges.
- 1-1/4" 16-gauge powder coated steel tube inner support frame prevents racking
- **Customize with your organization's logo.**

CONCIERGE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
PC_D-3242-MB-__	32	42	42

EDGE TYPES



CASTERS



PULL OUT



Concierge is available in melamine, high pressure laminate and many standard veneer finish options. Specify Powder coat. Specify finish choices separately.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



PCRD-C3242-L-MB



CUSTOMIZATION OPTION
We can customize your cart or podium with your logo executed in a perforated pattern or with a durable vinyl appliqué. Contact us for details.

SAMSON

SAMSON Dual Surface Technology Cart

- Two high pressure laminate worksurfaces, each with 3mm PVC edges.
- Top work surface attached via (4) 2" diameter 14-gauge steel posts.
- Wire management grommet and casters are **standard**.
- Decorative vented steel locking back.
- Fully adjustable concealed hinges and locking mechanism
- Available in melamine, high pressure laminate or veneer.
- Melamine and HPL finishes receive 3mm PVC edges, veneer finish receives 3mm wood edges.
- 1-1/4" 16-gauge powder coated steel inner support frame prevents racking
- **Customize with your organization's logo.**

SAMSON STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
PCDD-3242-MB	28	32	42

EDGE TYPES



CASTERS



Rear View



PCDD-C3242-MB



Samson is available in melamine, high pressure laminate and many standard veneer finish options. Specify powder coat. Specify finish choices separately.

JACQUI



JACQUI Adjustable Height

- Sit to Stand with ease. Gas-assisted spring mechanism provides 12" range in 1" increments.
- 34" diameter semi round HPL top with 3mm PVC edges.
- 3" diameter powder coated 14 gauge steel column. Inner column runs on roller bearings.
- X base is 1-1/2" x 3" 11 gauge steel with black nylon end caps. Base fitted with nickel-plated base levelers. Casters also available. Casters will add 2" to beginning of range.
- Mates well with "JACK" Adjustable Height Desk.


JACQUI STANDARD SIZES

MODEL	HEIGHT"	DIA"
JQAT-C29/34	29-41	34

● CASTERS



Twin Wheel



Semi-Round

RICHARD



RICHARD Mobile Lectern

- Open storage cabinet with divider is available with melamine or high pressure laminate finish and 3mm PVC edges.
- 18-gauge powder coated structural steel back panel with decorative perforations for ventilation
- Tops are 1-1/4" three ply particle board core with high pressure laminate top and 3mm PVC edges.
- Upper work surface has a metal retainer ridge.
- Leg frames are 1-1/4" powder coated steel tube
- Legs are fitted with casters

RICHARD STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RC-2330-42-4C	23	30	42

● EDGE TYPES



C
3mm
PVC

● CASTERS



Twin Wheel

ELECTOR



EP-2620T



Elector is available in melamine, high pressure laminate and many standard veneer finish options. Specify finish choices separately.

ELECTOR Mobile Lectern

- Elector podium features a high pressure laminate work surface, open storage space and locking cabinet space.
- Available in melamine or high pressure laminate with 3mm PVC edges or veneer with 3mm wood edges
- Wire management grommet and pencil stop
- Concealed 2" swivel casters

ELECTOR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
EP-2620	20	25	48

● EDGE TYPES



C
3mm
PVC



E
3mm
Wood

● CASTERS



Twin Wheel

● PULLS



P1



P2



P3



P4



P5

HANNIBAL Mobile Lectern

- High pressure laminate work surface with 3mm wood edge, pencil and paper stops
- Veneer cabinet with 1.5mm wood edges
- Double front veneer cabinet doors with 1.5mm edges and decorative metal accent
- 3/8" powder coated steel end frame weldment with steel endcaps
- Twin wheel locking casters for mobility
- Vertical chase for wire management

HANNIBAL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
HP-E2832M	25	28	44.5

EDGE TYPES



CASTERS



OPTIONS

- 18" Podium Gooseneck Microphone and Shock mount
- 18" Gooseneck Podium Light



HP-2832-42-4C
shown with optional microphone



Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes

Below: A Hannibal Lectern commands attention at the head of a conference room space.





ESTATING A QUOTE BASED ON THIS DRAWING, YOU MUST INC

Project Board

Products



Finishes



Fabrics



What is Storage? Well, it is furniture-based places to keep things until we are ready to use them. What you will find, as you browse through this area, is a broad collection of our standard offerings. If you don't see the storage configuration that is right for you, give us a call.

We make ALL KINDS of storage solutions

If you need a storage solution, you have come to the right place!

DUO CONNECTO

Storage

e-Wall

Special Purpose
Cabinets

Rubix

Mobile Storage Cabinets of all
Sorts, Shapes and Sizes

Drift

Curved and
Straight Mobile
Shelving

Benchmark Bookcases

Melamine, High-pressure Laminate
and Veneer Construction
Bookcases

Oscar

Trash Receptacle Enclosure

Chocolate Coconut No-Bake Cookies

Total Time: 30 minutes

1C Sugar
1/4C Milk
1/4C Cocoa
1/2 Stick of butter
Pinch of salt
1/4C peanut butter
1C Quick oats
1/2C Shredded coconut
1tsp. Vanilla

Combine sugar, milk, cocoa, butter in salt in sauce pan and bring to boil for 3 minutes.

Stir in peanut butter, quick oats, coconut shreds and vanilla.

Be sure that all oatmeal and coconut is coated.

Drop onto wax paper.



EWALL SPECIAL PURPOSE CABINETS



eWall™ Special Purpose Cabinets are flexible, space-saving solutions. They combine storage space and whiteboard instruction space providing a net space savings for any instruction environment. eWalls are available in a variety of sizes to accommodate any environment.

These units can be customized with any combination of base, wall and tall cabinets and tiles. The integrated tiles slide to utilized space available. Freestanding **eWall™** cabinets are available in 20" and 24" depths. Track-mounted cabinets are available in 14", 20" and 24" depths

- Cabinets feature 3/4" engineered wood side panels, sub tops, vertical dividers and shelves. Base cabinet bottoms and all adjustable shelves over 36" in length are 1" engineered wood.
- 3/4 or Full Extension Drawers
- Shelves adjustable on 1-1/4" increments.
- 3-knuckle (commercial grade 1), 5-knuckle (commercial grade 1), concealed and piano hinges available.
- Lock option available
- Box and front finish available in Melamine, High Pressure Laminate, Oak or Maple veneers.
- Box edge is .5mm PVC
- Front edge is 3mm PVC for laminates or 3mm Wood for veneers.



14", 20" and 24" deep **track-mounted** units are also available.



SBCS-002

OPTIONS

- **TILES**
Marker Board



- **PULLS**



P1



P3



P2



P5



SBCS-011
Base Cupboard Storage with Marker Boards and Upper Storage



SBCS-012
Base Cupboard Storage with Marker Boards, Upper Storage and Tall Cabinets



SBCSD-011
Base Drawer and Cupboard Storage with Marker Boards and Upper Storage



SBCSD-012
Base Drawer and Cupboard Storage with Marker Boards, Upper Storage and Tall Cabinets



Above and Below: These custom configuration eWalls provide tablet charging, wardrobe, drawer storage, teacher desk docking, flat screen TV mounting panel, cupboard storage, shelf storage, visual display and tack boards all-in-one space-saving unit (kitchen sink sold separately).



RUBIX MOBILE STORAGE



RUBIX mobile storage cabinets are available in high-pressure laminate, melamine and veneer. You can even have your cabinet adorned with custom laminate! (Contact factory for quote). Make sure you specify your finishes and powder coat when ordering.

If you have worked with our mobile cabinets before, you can skip over to the next page. You already know that these mobile storage units helped to coin the phrase “30-year furniture”. You have put your hands on them and know how solidly they are built. You’ve slammed the doors and kicked the tires. You love how smoothly and easily they roll. You know that these cabinets are built like the proverbial... (see photo to the right).

If you have not yet had the experience of working with one of our mobile cabinets...

Prepare to be amazed.



RUBIX MOBILE STORAGE

- High pressure laminate worksurfaces
- Cabinet material options include thermally fused laminate and high pressure laminate with PVC edges and oak or maple veneer with wood edges.
- Backs are 3/4" engineered wood
- Steel frame is 11-gauge 1-1/4" square steel tubing. Frame assembly is attached to the cabinet using wood screws.
- Concealed door hinges and a variety of pulls available.
- Full-extension drawers
- Tote rails that are stop-and-tilt or fully extractable.
- Shelves adjustable in 32mm increments
- Rugged 75mm twin wheel locking casters that attach via threaded inserts on the underside of the steel frame assembly.
- Freestanding steel support legs are available upon request.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



RUBIX OPTIONS

Storage

Rubix mobile storage units epitomize what non-perimeter personal storage is all about. This is a clever and attractive line of places to keep all your stuff (and other people's stuff too). Standard widths include 36", 38", 48", 60" and 72" and can be configured as cupboard, cabinet, wardrobe, credenza...plus other useful combinations to make your life a bit easier.

Sure, they're boxes, but with these OPTIONS we can help you think way outside the box...



Rubix to demonstrate or teach...
Put that vertical space to good use. Mount Surfboards to your cabinets...



Rubix to store on the inside AND outside...

Why be limited to storage inside the box when you can store things outside as well. Hang baskets, shelves and fixtures of all sorts to your cabinet. Mount slatwall to your cabinets - or have sides or backs made with slatwall.



...or have doors, sides or backs made with marker board material. If the top of your cabinet is working-height you can have a markerboard top as well.



Rubix communication center...

Have your Rubix speak volumes (one sheet at a time). Add a tackboard to your cabinet to really get your point across.



World of Finishes...

Yeah, we can finish your Rubix cabinet just how you want it - HPL, TFL, Veneers and custom graphic laminates. But did you know that we can go way beyond simply "markerboard" when it comes to functional finishes? We've got magnetic write-on surfaces and lot of the standard laminates that are available to us are already "Write-on" surfaces - like chalkboard?! Crazy, huh?



Rubix as a base for something big...

Rubix is a solid storage base for any number of operations from a large format printer to a silk screen press to a 3D printer. Mount up!

Below: Cubby Shelves Storage



Below: An array of Totes in a Tote Rail Storage Cabinet



RUBIX MOBILE STORAGE

36" WIDE • 18" OR 24" DEPTH

29" High



OS3629-
Open Storage



CS3629-
Cupboard Storage



OCB3629-
Open Cubicle Storage



CCB3629-
Cupboard Cubicle
Storage



OCB362924-
Cubby Shelves
Storage



OTROS362918-
Tote-Rail Storage
with Open Storage

18" DEPTH ONLY

36" High



OS3636-
Open Storage



CS3636-
Cupboard Storage



OCB3636-
Open Cubicle Storage



CCB3636-
Cupboard Cubicle
Storage



DS3636-
Drawer Storage



OCB363624-
Cubby Shelves
Storage



OTROS363618-
Tote-Rail Storage
with Open Storage

42" High



OS3642-
Open Storage



CS3642-
Cupboard Storage



OCB3642-
Open Cubicle Storage



CCB3642-
Cupboard Cubicle
Storage



DS3642-
Drawer Storage



OCB364224-
Cubby Shelves
Storage



OTROS364218-
Tote-Rail Storage
with Open Storage

54" High



OS3654-
Open Storage



CS3654-
Cupboard Storage



CSFSL3654-
Cupboard Storage with
2 Lateral File Drawers



CS4FSL3654-
Cupboard Storage with
4 Lateral File Drawers

Did you know that you can never have enough storage? It's true... the more you have the more you'll use. Our Rubix mobile storage units are the best thing since sliced bread! Not only do we offer many different heights, widths and depths, we obviously know a thing or two about storage configurations and they're mobile! I mean come on... what more could you ask for? Oh... being able to gussy it up with different color selections.. yea we covered that too!

24" DEPTH

72" High



OS3672-
Open Storage



CS3672-
Cupboard Storage



OCB3672-
Open Cubicle
Storage



CCB3672-
Cupboard Cubicle
Storage



WS3672-
Wardrobe
Storage



CSFSL3672-
Cupboard Storage
with 2 Lateral
File Drawers



CS6FSL3672-
Cupboard Storage
with 6 Lateral
File Drawers



CSTR367224-
Cupboard Storage
with Tote-Rail
Storage

RUBIX MOBILE STORAGE

48" WIDE • 18" OR 24" DEPTH

29" High



CS4829-
Cupboard Storage



CCB4829-
Cupboard Cubicle
Storage



OCB4829-
Open Cubicle Storage



OTR4829-
Open Tote Storage

36" High



OS4836-
Open Storage



CS4836-
Cupboard Storage



OCB4836-
Open Cubicle Storage



CCB4836-
Cupboard Cubicle
Storage



OTR4836-
Open Tote Rail Storage

42" High



OS4842-
Open Storage



CS4842-
Cupboard Storage



OCB4842-
Open Cubicle Storage



CCB4842-
Cupboard Cubicle
Storage



OCTB4842-
20 Cubbies



OTR4842-
Open Tote Rail Storage

54" High



OS4854-
Open Storage



CS4854-
Cupboard Storage



OCB4854-
Open Cubicle Storage



W4854-
Locker

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes



Make sure you specify your pulls (if applicable), finishes and powder coat when ordering.

OPTIONS

EDGES



PULLS



Cabinets designed with Tote-Rails are fitted with a neat Tote-Rail that can allow totes to be fully removable or stop-and-tilt. A set of clips can be fitted to the back of each tote that make the tote stop-and-tilt. Without the clips, the tote is easy to slide out. Totes and clips are not included with the cabinet. They are sold separately.



RUBIX MOBILE STORAGE

60" WIDE CREDENZAS • 18" OR 24" DEPTH

29" High



OS6029-
Open Storage



OSA6029-
Open Storage



CS6029-
Cupboard Storage



CSOS6029-
Cupboard Storage with
Center Open Storage



CSFSL6029-
Cupboard Storage
with 2 Lateral File

36" High



OS6036-
Open Storage



OSA6036-
Open Storage



CS6036-
Cupboard Storage



CSOS6036-
Cupboard Storage with
Center Open Storage



CSFSL6036-
Cupboard Storage
with 2 Lateral File

72" WIDE CREDENZAS • 18" OR 24" DEPTH

29" High



OS7229-
Open Storage



OSA7229-
Open Storage



CS7229-
Cupboard Storage



CSOS7229-
Cupboard Storage with
Center Open Storage



CSFSL7229-
Cupboard Storage
with 2 Lateral File

36" High



OS7236-
Open Storage



OSA7236-
Open Storage



CS7236-
Cupboard Storage



CSOS7236-
Cupboard Storage with
Center Open Storage



CSFSL7236-
Cupboard Storage
with 2 Lateral File



Make sure you specify your pulls (if applicable) finishes and powder coat when ordering.

OPTIONS

EDGES



C
3mm
PVC
E
3mm
Wood

PULLS



TBB-F2-75

TBA-F1-75

TOTE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
TBA-F1-75	16.8	12.95	2.95
TBB-F2-150	16.8	12.98	5.9

Totes are available in 9 colors:

(Below from left to right) Tropical Orange, Plum Purple, Flame Red, Sunshine Yellow, Royal Blue, Grass Green, Cyan Blue, Lime Jolly and Translucent.



DRIFT STORAGE & BOOKCASES MOBILE & CONNECTABLE

- Construction features 1" thick panels and shelves in your choice of oak or maple veneer high-pressure laminate or melamine on both faces.
- HPL and melamine panels and shelves banded with 3mm PVC. Veneer panels and shelves are banded with 1/8" solid oak or maple with 1/8" radiused corners.
- Shelves adjust on 32mm increments.
- Wood backs are 1/4" thick with high-pressure laminate or melamine on both faces, oak or maple veneer.
- 14-gauge perforated powder coated steel panels also available.
- 75 mm locking casters
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)



DFTSH-4218S-L-MOB
Shown with connecting magnets and handles



DRIFT Mobile bookcases are available in high-pressure laminate, melamine and veneer. Make sure you specify your finishes and powder coat (if applicable) when ordering.

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
mediatechnologies.com/resources/finishes



"Wit or Witout?"

Nah, dis ain't Philly. Do you want your Drift cabinets **with Handles and Magnets** or **without Handles and Magnets**. If we catch you on your phone when we ask... you're goin' to the back of the line. Got it!?

DRIFT CONSTRUCTION

Melamine Surfaces

Back: 1/4" thick engineered wood; melamine faces or 14-gauge, powder coated, perforated steel panel.

End and intermediate panels: 1" thick; engineered wood; melamine faces; PVC banding.

Casters: (4) 75mm, locking-style.

Top: 1" thick; engineered wood core; melamine faces; PVC banding

Adjustable shelves: 1" thick; engineered wood; melamine faces; PVC banding.

Optional: Connecting magnets and handles.

Base shelf: 1" thick; engineered wood; melamine faces; PVC banding.



High-Pressure Laminate Surfaces

Back: 1/4" thick engineered wood; high-pressure laminate faces or 14-gauge, powder coated, perforated steel panel.

End and intermediate panels: 1" thick; engineered wood; high-pressure laminate faces; PVC banding.


Casters: (4) 75mm, locking-style.

Top: 1" thick; engineered wood core; high-pressure laminate faces; PVC banding

Adjustable shelves: 1" thick; veneer core; high-pressure laminate faces; PVC banding.

Optional: connecting magnets and handles.

Base shelf: 1" thick; engineered wood; high-pressure laminate faces; PVC banding.



Wood Veneer Surfaces

Back: 1/4" thick engineered wood; veneer faces or 14-gauge, powder coated, perforated steel panel.

End and intermediate panels: 1" thick; veneer core; veneer faces; wood banding.

Base shelf: 1" thick; veneer core; veneer face; wood banding.

Top: 1" thick; veneer core; veneer face; wood banding

Adjustable shelves: 1" thick; veneer core; veneer faces; wood banding.

Optional: connecting magnets and handles.

Casters: (4) 75mm, locking-style.



Things you should know....

What's the difference between an Ottoman and an Odd Man?

Well, when it comes to **mediatechnologies** ottomans, we have some very nice FULL TIME models that you will want to use to nest in and around these Drift Mobile Storage and Bookcase models.

You may not want the Odd Man to hang around too long. He is enthusiastic, but still a little...Odd.



DRIFT MOBILE STORAGE



DRIFT OPEN STORAGE

- 42"H and 48"H single-face open storage units.
- Adjustable shelves.
- 18" and 24" depths, 36" and 42" widths.
- Available in high pressure laminate, melamine or veneer with wood or laminate backs.
- 18" depth mates with Drift Bookcase units.
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)

36" WIDE OPEN STORAGE STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-36-3618S-OS-_-MOB	18	36
DFT-36-4218S-OS-_-MOB	18	42
DFT-36-4818S-OS-_-MOB	18	48
DFT-36-5418S-OS-_-MOB	18	54
DFT-36-3624S-OS-_-MOB	24	36
DFT-36-4224S-OS-_-MOB	24	42
DFT-36-4824S-OS-_-MOB	24	48
DFT-36-5424S-OS-_-MOB	24	54
DFT-36-7224S-OS-_-MOB	24	72



DRIFT OPEN CUBICLE STORAGE

- 42"H and 48"H single-face open cubicle storage.
- Available in high pressure laminate, melamine or veneer with wood or laminate backs.
- 18" depth mates with Drift Bookcase units.
- Available with or without handles and magnets

42" WIDE OPEN CUBICLE STORAGE STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-42-3618S-OCB-_-MOB	18	36
DFT-42-5418S-OCB-_-MOB	18	54
DFT-42-3624S-OCB-_-MOB	24	36
DFT-42-4224S-OCB-_-MOB	24	42
DFT-42-4824S-OCB-_-MOB	24	48
DFT-42-5424S-OCB-_-MOB	24	54
DFT-42-7224S-OCB-_-MOB	24	72



DRIFT CUPBOARD STORAGE

- 42"H and 48"H single-face cupboard storage.
- 18" and 24" depths, 36" and 42" widths.
- Available in high pressure laminate, melamine or veneer with wood or laminate backs.
- 18" depth mates with Drift Bookcase units.
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)

36" WIDE CUPBOARD STORAGE STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-36-3618S-CS-_-MOB	18	36
DFT-36-4218S-CS-_-MOB	18	42
DFT-36-4818S-CS-_-MOB	18	48
DFT-36-5418S-CS-_-MOB	18	54
DFT-36-3624S-CS-_-MOB	24	36
DFT-36-4224S-CS-_-MOB	24	42
DFT-36-4824S-CS-_-MOB	24	48
DFT-36-5424S-CS-_-MOB	24	54
DFT-36-7224S-CS-_-MOB	24	72

42" WIDE CUPBOARD CUBICLE STORAGE STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-42-3618S-CS-_-MOB	18	36
DFT-42-4218S-CS-_-MOB	18	42
DFTS-42-4218S-CS-_-MOB*	18	42
DFT-42-4818S-CS-_-MOB	18	48
DFTS-42-4818S-CS-_-MOB*	18	48
DFT-42-5418S-CS-_-MOB	18	54
DFT-42-3624S-CS-_-MOB	24	36
DFT-42-4224S-CS-_-MOB	24	42
DFT-42-4824S-CS-_-MOB	24	48
DFT-42-5424S-CS-_-MOB	24	54
DFT-42-7224S-CS-_-MOB	24	72

*Steel backs on select models

The 42" and 48"H x 18"D models that would logically have appeared here are actually featured on the next page as Standard Straight Drift Bookcases. Crazy, huh?



DRIFT OPEN TOTE STORAGE

- 42"H and 48"H single-face open tote storage.
- 42" accommodates 24 F1 totes or 12 F2 totes. 48" accommodates 30 F1 totes or 15 F2 totes.
- Available in high pressure laminate, melamine or veneer with wood or laminate backs.
- Mates with Drift Bookcase units.
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)

42" WIDE OPEN TOTE STORAGE STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-42-3618S-OT-_-MOB	18	36
DFT-42-4218S-OT-_-MOB	18	42
DFTS-42-4218S-OT-_-MOB*	18	42
DFT-42-4818S-OT-_-MOB	18	48
DFTS-42-4818S-OT-_-MOB*	18	48



DRIFT OPEN STORAGE WITH CUPBOARD

- 42"H and 48"H single-face open storage with single cupboard.
- 18" and 24" depths, 42" width.
- Available in HPL, melamine or veneer with wood or laminate backs. *Steel backs on select models
- 18" depth mates with Drift Bookcase units.
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)

42" WIDE OPEN STORAGE WITH CUPBOARD STANDARD SIZES

MODEL	DEPTH"	HEIGHT"
DFT-42-4218S-OSCS-_-MOB	18	42
DFTS-42-4218S-OSCS-_-MOB*	18	42
DFT-42-4818S-OSCS-_-MOB	18	48
DFTS-42-4818S-OSCS-_-MOB*	18	48
DFT-42-4224S-OSCS-_-MOB	24	42
DFT-42-4824S-OSCS-_-MOB	24	42

*Steel backs on select models

DRIFT MOBILE BOOKCASES

DRIFT CONCAVE MOBILE BOOKCASE

- 42"H and 48"H single-face units available.
- 4 adjustable shelves on concave side.
- Constructed on a 60 degree curve
- Mates with other Drift units
- Custom Full Time Ottoman available for convex side (contact factory).
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)



STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFTS-4218V-O-MOB	18 X 72	42	OAK	STEEL
DFTS-4218V-M-MOB	18 X 72	42	MAPLE	STEEL
DFTS-4218V-L-MOB	18 X 72	42	HPL	STEEL
DFTS-4218V-T-MOB	18 X 72	42	TFL	STEEL
DFTS-4818V-O-MOB	18 X 72	48	OAK	STEEL
DFTS-4818V-M-MOB	18 X 72	48	MAPLE	STEEL
DFTS-4818V-L-MOB	18 X 72	48	HPL	STEEL
DFTS-4818V-T-MOB	18 X 72	48	TFL	STEEL

STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFT-4218V-O-MOB	18 X 72	42	OAK	OAK
DFT-4218V-M-MOB	18 X 72	42	MAPLE	MAPLE
DFT-4218V-L-MOB	18 X 72	42	HPL	HPL
DFT-4218V-T-MOB	18 X 72	42	TFL	TFL
DFT-4818V-O-MOB	18 X 72	48	OAK	OAK
DFT-4818V-M-MOB	18 X 72	48	MAPLE	MAPLE
DFT-4818V-L-MOB	18 X 72	48	HPL	HPL
DFT-4818V-T-MOB	18 X 72	48	TFL	TFL

DRIFT CONVEX MOBILE BOOKCASE

- 42"H and 48"H single-face units available.
- 4 adjustable shelves on convex side.
- Constructed on a 60 degree curve
- Mates with other Drift units
- Full Time Ottomans available to nest in concave side (2 x FTC-30).
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)



STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFTS-4218X-O-MOB	18 X 72	42	OAK	STEEL
DFTS-4218X-M-MOB	18 X 72	42	MAPLE	STEEL
DFTS-4218X-L-MOB	18 X 72	42	HPL	STEEL
DFTS-4218X-T-MOB	18 X 72	42	TFL	STEEL
DFTS-4818X-O-MOB	18 X 72	48	OAK	STEEL
DFTS-4818X-M-MOB	18 X 72	48	MAPLE	STEEL
DFTS-4818X-L-MOB	18 X 72	48	HPL	STEEL
DFTS-4818X-T-MOB	18 X 72	48	TFL	STEEL

STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFT-4218X-O-MOB	18 X 72	42	OAK	OAK
DFT-4218X-M-MOB	18 X 72	42	MAPLE	MAPLE
DFT-4218X-L-MOB	18 X 72	42	HPL	HPL
DFT-4218X-T-MOB	18 X 72	42	TFL	TFL
DFT-4818X-O-MOB	18 X 72	48	OAK	OAK
DFT-4818X-M-MOB	18 X 72	48	MAPLE	MAPLE
DFT-4818X-L-MOB	18 X 72	48	HPL	HPL
DFT-4818X-T-MOB	18 X 72	48	TFL	TFL

DRIFT STRAIGHT MOBILE BOOKCASE

- 42"H and 48"H single-face units available.
- 4 adjustable shelves.
- Mates with other Drift units.
- Available with or without handles and magnets (insert "H" after DFT or DFTS for handles and magnets i.e. DFTH or DFTSH)



STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFTS-4218S-O-MOB	18 X 42	42	OAK	STEEL
DFTS-4218S-M-MOB	18 X 42	42	MAPLE	STEEL
DFTS-4218S-L-MOB	18 X 42	42	HPL	STEEL
DFTS-4218S-T-MOB	18 X 42	42	TFL	STEEL
DFTS-4818S-O-MOB	18 X 42	48	OAK	STEEL
DFTS-4818S-M-MOB	18 X 42	48	MAPLE	STEEL
DFTS-4818S-L-MOB	18 X 42	48	HPL	STEEL
DFTS-4818S-T-MOB	18 X 42	48	TFL	STEEL

STANDARD SIZES AND MATERIALS

MODEL	D" X W"	HEIGHT"	PANELS	BACK
DFT-4218S-O-MOB	18 X 42	42	OAK	OAK
DFT-4218S-M-MOB	18 X 42	42	MAPLE	MAPLE
DFT-4218S-L-MOB	18 X 42	42	HPL	HPL
DFT-4218S-T-MOB	18 X 42	42	TFL	TFL
DFT-4818S-O-MOB	18 X 42	48	OAK	OAK
DFT-4818S-M-MOB	18 X 42	48	MAPLE	MAPLE
DFT-4818S-L-MOB	18 X 42	48	HPL	HPL
DFT-4818S-T-MOB	18 X 42	48	TFL	TFL

BENCHMARK BOOKCASES



BENCHMARK BOOKCASES

- Benchmark bookcases are available in oak or maple veneer, high-pressure laminate and melamine faces.
- Veneer and high-pressure laminate models receive veneer core shelves. Melamine models receive particle board shelves. Shelves adjustable in 32mm increments.
- Steel shelves are available for all Benchmark shelving.
- Mobile Benchmark shelving units available



Benchmark bookcases are available in veneer, high-pressure laminate and melamine. Make sure you specify your finishes and powder coat (if you include metal shelves) when ordering.



V11-3010 Starter




V11-3010A Adder

Starter and adder units allow you to create a large run of shelving. Individual adjustable shelves available for all units.

11-SERIES CONSTRUCTION - BENCHMARK

Wood Veneer Surfaces




EXAMPLE:

Benchmark 4212 Standard Starter Unit Model Number

Shelves	Surface Material		
	Wood Veneer	HPL	Melamine
Veneer Core	V11-4212	H11-4212	NA
Particle Board	NA	NA	T11-4212
Steel	SB11-4212	SBH11-4212	SBT11-4212


- Benchmark shelving is available in wood veneer, high-pressure laminate and melamine faces.
- Veneer and high-pressure laminate models receive veneer core shelves. Melamine models receive particle board shelves.
- Steel shelves are available for all Benchmark shelving.
- Mobile Benchmark shelving units available

High-Pressure Laminate Surfaces*



*Backs have melamine faces

Melamine Surfaces




BENCHMARK BOOKCASES




Benchmark Single Faced Units

V11-4810
V11-4810A Adder
V11-4812
V11-4812A Adder



Benchmark Double Faced Units

V11-4820
V11-4820A Adder
V11-4824
V11-4824A Adder



Mobile Unit Construction

Mobile toe assembly:

A steel chassis is fit to the inside of the toe assembly. Casters are bolted to the chassis with 1/4"-20 bolts and nylon insert lock nuts and the entire assembly is attached to the end panel. The steel chassis provides formed flanges under the toe and end panels for extra support. Casters are 2" diameter, non-locking. The mobile bookcase sits 1/2" off the floor.

Mobile Standard Units: 42" H, 48" H
Mobile Magazine Display Units: 42" H, 48" H
Mobile Picture Book Display Units: 42"H, 48" H
* Applies to Double Faced Units only
* Maximum load capacity 800lbs.

**Steel Shelves**

Steel shelves may be specified for wood veneer, HPL and melamine bookcases. Replace "V" in model number with "SB" (i.e. SB11-4220) for wood veneer. Add "SB" to the model number prefix for HPL or melamine (i.e. SBH11-4220 or SBT11-4220).

Optional
Laminate
Doors



Visit the mediatechnologies website for:

- finish, laminate and powder coat options

mediatechnologies.com/resources/finishes

TRASH RECEPTACLE ENCLOSURE

OSCAR

Oscar is an attractive and very durable enclosure for trash and recycle receptacles. The sturdy laminate panels are banded with 3mm PVC and feature a full-width door with recessed door handle, lock and locking swivel casters. Oscar models are available with high-pressure laminate or solid surface tops. The 48"H model features a trayshelf.

OSCAR

- Side panels and sub top are particle board construction with high-pressure laminate on both sides with 3mm PVC banding on exposed edges.
- 1" x 1" 18-gauge steel U-frame is fastened near the bottom of the cabinet assembly with ¼-20 35mm bolts.
- Door panel is particle board construction with high-pressure laminate on both faces and 3mm PVC banding on all edges and a recessed door pull. Door is hung on concealed hinges.
- Top surface and Trayshelf (on 48"H models) are 7/8" particle board construction with .050" high-pressure laminate top and .030" phenolic backer. Solid surface top is also available. 12" diameter opening is centered in the top surface and fitted with a 12" stainless steel liner ring.
- Two (2) black 75mm twin nylon locking swivel casters are mounted to the bottom of each end panel with caster U-brackets.



RCP-303036-SS-4C

OSCAR STANDARD SIZES

MODEL	TRAY-SHELF	DEPTH"	WIDTH"	HEIGHT"	TOP
RCP-303036-L-4C		30	30	36	HPL
RCPS-303048-L-4C	YES	30	30	48	HPL
RCP-303036-SS-4C		30	30	36	SOLID
RCPS-303048-SS-4C	YES	30	30	48	SOLID



RCPS-303048-L-4C



RCP-303036-L-4C



Suggested Receptacles (not included):

- The Oscar Trash Receptacle enclosure is designed to accept:
- RUBBERMAID BRUTE 32 GALLON with DOLLY or equivalent
 - RUBBERMAID BRUTE 44 GALLON (no DOLLY) or equivalent

Penne for your thoughts?

It's simple, great ingredients make great spaces...

mediatechnologies offers so many ingredients to make your space everything you want it to be and more. From seating and work surfaces to perimeter storage the possibilities are endless. We hope our recipe book has encouraged you to experiment with the possibilities. Oh...hey, if you've got an idea that you do not see in this wonderful compilation of goodness, let us know. We're more than happy to work with you and customize items to be your very own.

Need more ideas?

mediatechnologies loves to showcase your spaces on our website. Be sure and visit our website at mediatechnologies.com. You'll find tons of great stuff there to help you plan your space. Check out other projects in our gallery to help generate color schemes, tones and furniture pairings for your space. From there, use our project board to save products and finishes and ideas!

Share your project with us...


Follow **mediatechnologies** on facebook or LinkedIn? We'd love to see what you've done with our ingredients. Not on social media? Send us an email... who knows, maybe your project could end up on our blog as a case study... Just send us a few photos and a little back story to your project.

Presentation Is Everything!

mediatechnologies offers a wide variety of finishes and materials for your furniture. Your finishes are like the presentation of your signature dish. They create the first impression your users and visitors will have of your space! Finishes are like the garnish, the icing on your cake - the cherry on top. We can help you make a fantastic presentation (not sure about cleansing your breath though).

Visit the mediatechnologies website for:

- finish, laminate and powder coat options
- mediatechnologies.com/resources/finishes





Bon Appetit!



892 Industrial Park Drive
Shelby, MI 49455
P: 231.861.2194
F: 231.861.6678
www.mediatechnologies.com
sales@mediatechnologies.com



www.mediatechnologies.com

ANYSPEC-171120

PURE *M*ICHIGAN®